INDEX TO VOLUME 7

AUTHOR INDEX

* Original article.

† Abstract of paper presented at the Twenty-ninth Annual Meeting of The Association for the Study of Internal Secretions.

Other items are abstracts of articles which appeared in current medical journals.

ABARBANEL, A. R.: Correlation of basal body temperature curves with endometrial biopsy, 451†

ALBRIGHT, F.: Polyostotic fibrous dysplasia: A defense of the entity, 307*

——, *see* FORBES, A. P., 264*

——, *see* TALBOT, N. B., 331*

ALMY, T. P. and SHORR, E.: Disappearance of diabetes mellitus associated with acromegaly following acute mastoiditis and basilar mengitis, 455†

APPELMAN, D. H., *see* DORFF, G. B., 807*

ARGONZ, J., *see* CASTILLO, E. B. DEL, 385*

ASPER, S. P., JR., *see* WILLIAMS, R. H., 462†

ASTWOOD, E. B. and VANDERLAAN, W. P.: Treatment of hyperthyroidism with propylthiouracil, 304

AYRE, J. E.; CHEVALIER, P. M., and AYRE, W. B.: A comparative study of vaginal and cervical cornification in human subjects, 749*

—— and FOOTE, W. R.: Granulosa-cell tumor with pregnancy following removal, 605

AYRE, W. B., *see* AYRE, J. E., 749*

BAEZ, S., *see* ZWEIFACH, B. W., 460†

BAKER, B. L. and LEEK, J. H.: The relationship of the parathyroid glands to the action of estrogen on bone, 383

BAKST, H., *see* KISSIN, M., 152*

BALLINGER, J.: The co-existence of hyperthyroidism and prepuberal eunuchoidism in a male, 566*

BALZE, F. A. DE LA: Influencia del hipertiroidism sobre la densidad y contenido en proteínas del plasma, 75

——, *see* CASTILLO, E. B. DEL, 385*

——, *see* CASTILLO, E. B. DEL, 493*

BARKER, H. B.: A detailed report on the weights and weight losses of twenty-four men in Santo Tomas internment camp, 71

BARKER, W. W., *see* ROGERS, H. M., 383

BARMAN, J. M. and PORCILE, E.: A simple method for assuring accuracy in determination of oxygen consumption by the Benedict-Roth apparatus, 304

BARTCZAK, E., *see* DREKTER, I. J., 795*

BARTELMEZ, G. W., *see* ROSSMAN, I., 609

BATES, R. W., *see* COHEN, H., 452†, 701*

BAUER, J. and BELT, E.: Paroxysmal hypertension with concomitant swelling of the thyroid due to pheochromocytoma of the right adrenal gland, 30*

BAUMGOLD, D., *see* SELEY, A. D., 451†

BAYLOR, N.: Tables for predicting height from the skeletal age and present height, 473

BEIERWALTES, W. H. and STURGIS, C. C.: Complications following the administration of thiouracil, 305

BELT, E., *see* BAUER, J., 30*

BENDA, C. E. and BIXBY, E. M.: Urinary excretion of 17-ketosteroids in various conditions of oligophrenia correlated with some autopsy observations, 503*

BENUA, R. S., *see* MORROW, A. G., 608

BERGNER, G. E., *see* DEANE, H. W., 457†

BIANCO, J. J. and FAVORITE, G. O.: Granulosa-cell tumor of the ovary, 605

BIXBY, E. M., *see* BENDA, C. E., 503*

BLACK, R., *see* ZONDEK, B., 519*

BLOCK, F. B.: Ovarian Tumors, 226

BOLGER, H., *see* FISHER, A. E., 231

BOROVSKI, M. L.: The role of the nervous system in autotransplantation of the thyroid, 75

BOURNE, A.: Endocrines in gynecology, 384

BRADBURY, J. T.: A simplified method for the estimation of sodium, 72

BRANDBURY, J. T., *see* BROWN, W. E., 450†

BRECKLER, A., *see* FLEISCHMANN, W., 468†

BRIGGS, A. P.: Some observations on severe diabetic ketosis treated with glucose and insulin, 229

BRIGGS, G. M. and LILLIE, R. J.: Perosis caused by feeding high levels of thiouracil, 76

BROWN, W. E.; BRANDBURY, J. T., and JENNINGS, A. F.: Experimental alteration of the human ovarian cycle by estrogen, 450†

BROWNE, J. S. L.; HENRY, J. S., and VENNING, E. H.: Studies in corpus luteum function, 446†

——, see VENNING, E. H., 79*, 460†, 729*

BROWNELL, K. A., *see* HARTMAN, F. A., 461†

BUCHWALD, E., *see* SHIPLEY, R. A., 70
BURGESS, A. M.: Myxedema controlled by thyroid extract for fifty-two years: report of a case, 76

CALKINS, E. and HOWARD, J. E.: Bilateral-familial phaeochromocytomata with paroxysmal hypertension: successful surgical removal of tumors in two cases, with discussion of certain diagnostic procedures and physiological considerations, 475*
——, *see* LERMAN, J., 77
CAMP, J. D., *see* SIGLIN, I. S., 433*
CANTAROW, A., *see* PASCHKIS, K. E., 102*, 466†
——, *see* RAKOFF, A. E., 448†, 688*
CAPRIGLIONE, L. and SCHERMANN, J. Head trauma causing reactivation of thyrotoxicosis, appearance of diabetes mellitus, amenorrhea and melonoderma, 303
CARPENTER, T. M., *see* ROOT, H. F., 472
CARR, E. A.: A rapid bedside test for the detection of hypoglycemia, 72
CARTER, A. C. and ROBBINS, J.: The use of hypertonic saline infusions in the differential diagnosis of diabetes insipidus and psychogenic polydipsia, 464†, 753*
—— and SHORR, E.: (Letter to Editor). The intranasal use of posterior pituitary powder in the treatment of diabetes insipidus: a reminder, 828*
CASTILLO, E. B. DEL; BALZE, F. A. DE LA, and ARGONZ, J.: Syndrome of rudimentary ovaries with estrogenic insufficiency and increase in gonadotropins, 385*
——; GALLI-MAININI, C., FINOCHIETTO, R., LUCHETTI, S. E. and STAFFIERI, J. J. El tiouracilo como tratamiento preoperatorio del hypertiroidismo en 37 pacientes, 76
——; TRABUCCO, A., and BALZE, F. A. DE LA: Syndrome produced by absence of the germinal epithelium without impairment of the Sertoli or Leydig cells, 493*
CHARIPPER, H. A., *see* GORDON, A. S., 306
CHESLEY, J. C.; COSGROVE, S. A., and PREECE, J.: Hydatidiform mole, with special reference to recurrence and associated eclampsia, 605
CHESNER, C.: Hemochromatosis. Review of literature and presentation of a case without pigmentation or diabetes, 72
CHEVALIER, P. M., *see* AYRE, J. E., 749*
CIARAMELLI, L. C., *see* MASON, H. L., 458†
COATES, C. W., *see* WEISMAN, A. I., 289*
COHEN, E. J.: An evaluation of the urethral smear as an index of androgenic deficiency in the male, 186*
COHEN, H. and BATES, R. W.: A simple quantitative colorimetric method for estrogenic steroids, 701*
——: A simple quantitative colorimetric test for estrogens, 452†
COHN, G. M., *see* FINKLER, R. S., 455†
COLLINS, J. A., JR., *see* STAINSBY, W. J., 779
CONN, J. W. and MATHEWS, K. P.: Addison's disease in the Negro, 69
CONNOR, J. F. and REYNOLDS, F. W.: The two-dose dextrose tolerance test in the diagnosis of diabetes mellitus, 229
CORCORAN, A. C. and PAGE, I. H.: Specific renal functions in hyperthyroidism and myxedema, 801*
CORI, CARL F. and CORI, GERTY T.: Recipients of E. R. Squibb & Sons award of the Association, 223
COSGROVE, S. A., *see* CHESLEY, J. C., 605
COVOLO, G. C. and WEST, R.: The activity of arginase in red blood cells, 325*
CRAFTS, R. C.: The effects of iron, copper and thyroxine on the anemia induced by hypophysectomy in the adult female rat, 376
CROOKE, A. C.: The endocrine disorders associated with Cushing's syndrome and virilism, 787*
CURTIS, A. H.: Another case of arrhenoblastoma, 606
——: The origin of adrenal-like tumor of the ovary, 605
CURTIS, G. M., *see* PUPPEL, I. D., 380
CURTIS, L. E., *see* LISSER, H., 665*

DAUGHADAY, W. H.; JAFFE, H., and WILLIAMS, R. H.: Chemical assay of urine for adrenocortical hormones in endocrine and non-endocrine diseases, 454†
——, *see* WILLIAMS, R. H., 462†
DAVISON, R. A.; KOETS, P., and KUZELL, W. C.: Excretion of 17-ketosteroids in ankylosing spondylarthritis and in rheumatoid arthritis. A preliminary report, 201*
DAX, E. C.; SMITH, E. J. R., and REITMAN, F.: Adrenalectomy in mental disorder, 533
DEANE, H. W. and BERGNER, G. E.: Chemical and cytochemical studies of the rat's adrenal cortex following the administration of pituitary adrenocorticotropic hormone, 457†
DÉCOURT, L.: (Letter to Editor). Fatal jaundice resulting from thiouracil, 830*
DELORY, G. E.: Seminal fluid acid phosphatase in sterility, 604
DOBYNS, B. M.: Exophthalmos and tissue changes in the guinea pig following administration of the thyroid stimulating hormone of the pituitary gland, 305

—— and HAINES, S. F.: Changes in the prominence of the eyes in various thyroid states, 306
DOLGER, H., *see* HERZSTEIN, J., 727
DONALDSON, E. C., *see* FORBES, A. P., 264*
DORFF, G. B.; APPELMAN, D. H., and LIVESON, A.: Report of a case showing congenital defects, short stature, retarded sexual development and no urinary gonadotropins, 807*
DORFMAN, R. I., *see* SHIPLEY, R. A., 70
DOUGLAS, J. W., *see* WEED, J. C., 455†, 741*
DREKTER, I. J.; PEARSON, S., BARTCZAK, E. and MCGAVACK, T. H.: A rapid method for the determination of total urinary 17-ketosteroids, 795*
——; PEARSON, S., and MCGAVACK, T. H.: A rapid method for the determination of urinary "17-ketosteroids," 451†
DUMM, R. M. and SHIPLEY, R. A.: The simple estimation of blood ketones in diabetic acidosis, 230
DVOSKIN, S.: Recipient of Ayerst, McKenna and Harrison fellowship of the Association, 223

EATON, L. M., *see* SIGLIN, I. S., 433*
EDMONDSON, H. A.; MARTIN, H. E., and EVANS, N.: Necrosis of renal papillae and acute pyelonephritis in diabetes mellitus, 471
ELLIOTT, J. E. and PEARSON, P. B.: A direct photoelectric method for the determination of serum calcium, 73
ENGELHARDT, H. T. and MELVIN, J. P., JR.: The management of diabetes mellitus during pregnancy, 230
ERSHOFF, B. H.: Effects of liver feeding on growth and ovarian development in the hyperthyroid rat, 532
ESCAMILLA, R. F., *see* LISSER, H., 665*
EVANS, H. M., *see* MASON, H. L., 458†
EVANS, N., *see* EDMONDSON, H. A., 471
EVERETT, H. S., *see* JONES, G. S., 607

FARBER, E. P.: The induction of labor with methergine: preliminary report, 606
FARRIS, E. J.: A test for determining the time of ovulation and conception in women, 606
——: The time of ovulation in the monkey, 384
FAVORITE, G. O., *see* BIANCO, J. J., 605
FEINER, M., *see* KRICHESKY, B., 448†
FELDMAN, F.; ROBERTS, J. B.; SUSSELMAN, S., and LIPETZ, B.: Coincidence of diabetes mellitus and hypopituitarism, 376
FINCH, C. A., *see* HILLS, A. G., 458†
FINERTY, J. C., *see* KUPPERMAN, H. S., 447†
FINKELSTEIN, G., *see* GORDON, A. S., 306
FINKLER, R. S.: Male hypogonadism treated by sublingual methyltestosterone, 293*
——: Social and psychological readjustment of a pseudohermaphrodite under endocrine therapy, 456†
—— and COHN, G. M.: Testosterone in a case of polyostotic fibrous dysplasia, 455†
FINOCHIETTO, R., *see* CASTILLO, E. B. DEL, 76
FISHER, A. E. and BOLGER, H.: Behavior and psychologic problems of young diabetic patients, 231
FLEISCHMANN, W. and BRECKLER, A.: Mitotic activity and wound healing in the corneal epithelium of rats treated with thiouracil, 468†
——, *see* WILKINS, L., 381
FOLDES, F. F. and MURPHY, A. J.: Distribution of cholesterol, cholesterol esters and phospholipid phosphorus in blood in thyroid disease, 76
FOOTE, E. C. and JONES, C. E. S.: An evaluation of the Hogben pregnancy test, 606
FOOTE, W. R., *see* AYRE, J. E., 605
FORBES, A. P.; DONALDSON, E. C.; REIFENSTEIN, E. C., JR., and ALBRIGHT, F.: The effect of trauma and disease on the urinary 17-ketosteroid excretion in man, 264*
FORSHAM, P. H.; PRUNTY, F. T. G., and THORN, G. W.: Urinary uric acid-creatinine ratio following administration of pituitary adrenocorticotropic hormone (ACTH) as a simple test for adrenal cortical function, 459†
——, *see* HILLS, A. G., 458†
——, *see* THORN, G. W., 459†
FOSS, H. L. and KLINGER, H. M.: Hyperthyroidism without goiter, 377
FOSTER, W. C., *see* MCCLENDON, J. F., 468†, 714*
FREED, S. C.: Diethylstilbestrol dipalmitate in aqueous suspension, 448†
FREIESLEBEN, E. and KJERULF-JENSEN, K.: The effect of thiouracil derivatives on fetuses and infants, 47*
FROST, J. W., *see* MCCONNELL, J. S., 812*
FURLONG, E., *see* KRICHESKY, B., 448†

GABRILOVE, J. L.: Chloride excretion during glycosuria in patients with diabetes, 231
——, *see* SOFFER, L. J., 532
GALLI-MAININI, C.: Pregnancy test using the male toad, 653*
——, *see* CASTILLO, E. B. DEL, 76
GASSNER, F. X.: Effect of aqueous testicular extracts on growth and development of spontaneous mammary tumors in the aging bitch, 464†

GEOGHEGAN, F., *see* SPAIN, A. W., 75
GERMEK, O. A., *see* KIMBLE, M. S., 232
GLASS, S. J., *see* KRICHESKY, B., 448†
GOLDBERG, M. B. and MAXWELL, A. F.: Bilateral arrhenoblastoma without masculinization, adenoma testiculare of Pick, 456†
——; MAXWELL, A. F. and SMITH, P. M.: Three unusual endocrinopathies with associated ovarian pathology: I. Ovarian agenesis. II. Precocious puberty. III. Virilism, 11*
——, *see* LISSER, H., 665*
GOLDEN, H., *see* HORVATH, S. M., 73
GOLDNER, M. G.: Pheochromocytoma with diabetes, 716*
GOLDSTEIN, N. P.; JACOBSON, M.; TELFORD, I. R., and ROE, J. F.: Studies of pancreatic function. III. The effect of ligation of the pancreatic ducts upon the amylase and lipidase content of the blood, 231
GOLDSTINE, M. T.: Arrhenoblastoma of the ovary; report of two cases, 606
GORDON, A. S.; KADOW, P. C.; FINKELSTEIN, G., and CHARIPPER, H. A.: The thyroid and blood regeneration in the rat, 306
GRANT, R. S., *see* SPANKUS, W. H., 586*
GRASSO, R. and ROBERTIS, E. DE: Studies on thyroid stimulating hormone using the cytological method. I. Circulating thyroid stimulating hormone in rats treated with thiourea, 378
GREENBLATT, R. B., *see* KUPPERMAN, H. S., 463†
——, *see* NIEBURGS, H. E., 450†
GREENHILL, M. H.: A psychosomatic evaluation of the psychiatric and endocrinological factors in the menopause, 226
GREENWALD, I.: Letter to Editor re "Is endemic goiter due to lack of iodine?," 60*
GROLLMAN, A., *see* HUFFMAN, M. N., 453†
GUTMANN, D.: Medullary suprarenal chromaffinoma producing malignant hypertension, 533

HAIN, A. M.: The constitutional type of precocious puberty, 171*
HAINES, S. F., *see* DOBYNS, B. M., 306
——, *see* SIGLIN, I. S., 433*
HALEY, A. E., *see* SWEENEY, J. S., 659*
HAMBLEN, E. C.: Some contributions of endocrinology to obstetrics and gynecology, 607
HAMILTON, J. B.: A secondary sexual character that develops in an organ common to both sexes but normally only in men: with a discussion of the relation of this character to endocrine stimulation, 465†
HANDELMAN, N. I., *see* LIKINS, C. H., JR., 780
HANSON-PRUSS, O. C.: Thiouracil in the treatment of leukemia, 780
HARDING, F. E.: The oral use of hexestrol for estrogen deficiency, 607
HARTMAN, F. A.; BROWNELL, K. A., and THATCHER, J. S.: A new hormone of the adrenal cortex, 461†
HAUCK, H. M.: Plasma levels and urinary excretion of ascorbic acid in women during the menstrual cycle, 607
HAY, E. C.: The adrenotrophic, renotrophic and cardiotrophic activities of lyophilized anterior pituitary in thyroidectomized rats, 303
HELLER, C. G., *see* JUNGCK, E. C., 1*
HENRY, J. S., *see* BROWNE, J. S. L., 446†
HERTZ, A. and ROBERTS, A.: Radioactive iodine in the study of thyroid physiology VII. The use of radioactive iodine therapy in Graves' disease, 378
HERZSTEIN, J. and DOLGER, H.: The fetal mortality in women during the prediabetic period, 727
HEWLETT, J. S., *see* MCCULLAGH, E. P., 636*
HIGGINS, G. M. and JONESON, O. R.: Effect of graded doses of thyroxin on experimental goiters, induced by promizole, 378
HILLS, A. G.; FORSHAM, P. H., and FINCH, C. A.: Changes in circulating leukocytes induced by pituitary adrenocorticotropic hormone (ACTH) in man, 458†
HORVATH, S. M.; GOLDEN, H., and WAGER, J.: Some observations on men sitting quietly in extreme cold, 73
HOTCHKISS, R. S., *see* MACLEOD, J., 605
HOWARD, J. E. and WALSH, F. B.: Conjunctival and corneal lesions in hypercalcemia, 464†
——, *see* CALKINS, E., 475*
——, *see* WALSH, F. B., 644*
HUFFMAN, M. N. and GROLLMAN, A.: The metabolic pathway of estriol production in the organism, 453†
HURWITZ, D., *see* SMITH, O. W., 609

INGLE, D. J.: The effect of diethylstilbestrol upon alloxan diabetes as related to food intake in the rat, 449†
INGRAHAM, F. D. and SCOTT, H. W., JR.: Craniopharyngiomas in children, 376

JACKSON, A. S.: Thiouracil will not replace thyroidectomy, 77
JACKSON, R. L. and KELLY, H. G.: Growth of children with diabetes mellitus in relationship to level of control of the disease, 727

JACOBS, M., *see* SOFFER, L. J., 532
JACOBSON, M., *see* GOLDSTEIN, N. P., 231
JAFFE, H.; SOLOMON, B., and WILLIAMS, R. H.: Color reactions of the steroids, 454†
——, *see* DAUGHADAY, W. H., 454†
JANES, R. G.: The permanency of alloxan diabetes and the structure of the pancreatic islets following certain experimental procedures, 469†
JAUDON, J. C.: Addison's disease in children, 383
——: Hypofunction of the adrenals in early life, 533
JENNINGS, A. F., *see* BROWN, W. E., 450†
JEPPSON, E. M., *see* THOMPSON, W. O., 467†
JONES, C. E. S., *see* FOOTE, E. C., 606
JONES, G. S. and EVERETT, H. S.: Arrhenoblastoma of the ovary, with a report of two cases, 607
JONES, H. W., *see* LERMAN, J., 77
JONESON, O. R., *see* HIGGINS, G. M., 378
JUNGCK, E. C.; MADDOCK, W. O. and HELLER, C. G.: Gonadotropic hormone: comparison of ultrafiltration and alcohol-precipitation methods of recovery from urine, 1*

KADOW, P. C., *see* GORDON, A. S., 306
KARNAKY, K. J.: Hydrogen ion concentration of the senile vaginal mucosa before and after estrogenic therapy, 226
KEATING, F. R., JR., *see* ROGERS, H. M., 383
KELLY, H. G., *see* JACKSON, R. L., 727
KEPLER, E. J. and MASON, H. L.: Relation of urinary steroids to the diagnosis of adrenal cortical tumors and adrenal cortical hyperplasia: quantitative and isolation studies, 543*
KESMODEL, K. F.: Carcinoma of the breast, 74
KEYNES, G., *see* LINNELL, J. W., 77
KIBLER, R., *see* KOEPF, G. F., 462†
KIMBALL, O. P.: Letter to Editor re "Is endemic goiter due to lack of iodine?" 58*
KIMBLE, M. S.; GERMEK, O. A., and SEVRINGHAUS, E. L.: Vitamin A and carotene metabolism in the diabetic as reflected by blood levels, 232
KINSELL, L. W.: Spermatogenesis in a "panhypopituitary" eunuchoid, as the result of testosterone therapy, 781*
KISSIN, M. and BAKST, H.: Co-existing myxedema and hyperparathyroidism: case report, 152*
KJERULF-JENSEN, K., *see* FREIESLEBEN, E., 47*
KLINGER, H. M., *see* FOSS, H. L., 377
KOEPF, G. F. and KIBLER, R.: Pellet therapy with desoxycorticosterone acetate in adrenal cortical insufficiency, 462†
KOETS, P., *see* DAVISON, R. A., 201*
KRICHESKY, B.; GLASS, S. J.; FURLONG, E., and FEINER, M.: Liver and gonadal changes following the administration of carbon tetrachloride to male rats and female guinea pigs, 448†
KULASAVAGE, R. J., *see* LIMARZI, L. R., 225
KUPPERMAN, H. S. and GREENBLATT, R. B.: Relationship of sex steroids to the adrenal glands of hamsters and rats, 463†
——; MEYER, R. K., and FINERTY, J. C.: Gonadal stimulation following the administration of antigonadotropic serum, 447†
——, *see* NIEBURGS, H. E., 450†
KUZELL, W. C., *see* DAVISON, R. A., 201*

LAHEY, F. H.: Surgery of the thyroid gland, 379
LANG, E. H., *see* PAGE, R. C., 233
LANGNER, P. H.; ROMANSKY, M. J., and ROBIN, E. D.: The fallacy of the Exton-Rose glucose tolerance test, 232
LAQUEUR, ERNST: Obituary, 603
LAZAROW, A. and PALAY, S. L.: The production and course of alloxan diabetes in the rat, 233
LEATHEM, J. H. and RAKOFF, A. E.: Equine pituitary gonadotropin and antihormone formation, 466†
LEBLOND, C. P., *see* PUPPEL, I. D., 380
LEEK, J. H., *see* BAKER, B. L., 383
LERMAN, J.; JONES, H. W., and CALKINS, E.: Studies on two sporadic cretinous brothers with goiter, together with some remarks on the relation of hyperplasia to neoplasia, 77
LEVINE, E. B. and SELLERS, A. L.: Testosterone in angina pectoris 74
LEVINE, R., *see* SCHNEEBERG, N. G., 624*
LEWIS, L. A. and MCCULLAGH, E. P.: Plasma protein pattern (Tiselius electrophoretic technique) in Cushing's syndrome, 559*
—— and PAGE, I. H.: Further studies on the protective power of adrenal preparations against bacterial toxins, 460†
—— and PAGE, I. H.: Method of assaying steroids and adrenal extracts for protective action against toxic material (typhoid vaccine), 69
LI, C. H.: Recipient of Ciba Award of the Association, 223
——, *see* MASON, H. L., 458†
LIKINS, C. H., JR; SCOTT, E. P., and HANDELMAN, N. I.: Laurence-Moon-Biedl syndrome, 780
LILLIE, R. J., *see* BRIGGS, G. M., 76
LIMARZI, L. R.; PIRANI, C. L., and KULA-

SAVAGE, R. J.: The effect of thiouracil on leukemia with a clinicopathologic report of a case of chronic myeloid leukemia that developed an extreme neutropenic leukopenia, 225
LINNELL, J. W.; KEYNES, G., and PIERCY, J. E.: Some vulgar errors in regard to goiter, 77
LIPETZ, B., *see* FELDMAN, F., 376
LISSER, H.; CURTIS, L. E.; ESCAMILA, R. F., and GOLDBERG, M. B.: The syndrome of congenitally aplastic ovaries with sexual infantilism, high urinary gonadotropins, short stature and other congenital abnormalities. Tabular presentation of twenty-five previously unpublished cases, 665*
LIVESON, A., *see* DORFF, G. B., 807*
LUBIN, S.: The routine use of stilbesterol for engorgement and lactation in nonnursing mothers, 607
LUCHETTI, S. E., *see* CASTILLO, E. B. DEL, 76
LUKENS, F. D. W.: Pituitary-diabetes, 304
LUND, C. J., *see* WELLS, L. J., 192*
LYON, R.: Pregnanediol excretion at the onset of labor, 608

MACK, H. C. and PARKS, A. E.: The pregnandiol precipitation test—clinical application of a rapid method for the diagnosis of pregnancy, 351*
MACLEOD, J. and HOTCHKISS, R. S.: Semen analysis in 1500 cases of sterile marriages, 605
MADDOCK, W. O., *see* JUNGCK, E. C., 1*
MARK, J. S., *see* SHELTON, E. K., 465†, 708*
MARTIN, H. E., *see* EDMONDSON, H. A., 471
MARVIN, H. N., *see* SCHWANDER, H., 423*
MASON, H. L.; POWER, M. H.; RYNEARSON, E. H.; CIARAMELLI, L. C.; LI, C. H., and EVANS, H. M.: Results of administration of anterior pituitary adrenocorticotropic hormone to a human subject, 458†
——, *see* KEPLER, E. J., 543*
MASSON, G.: The spermatogenic activity of Δ^5-pregnenolone and of its esters, 227
MATHEWS, K. P., *see* CONN, J. W., 69
MAXWELL, A. F., *see* GOLDBERG, M. B., 11*, 456†
MCARTHUR, J. W., *see* RAWSON, R. W., 235*
MCCLENDON, J. F. and FOSTER, W. C.: Goiter on an iodine-free diet grown by hydroponics and excluding any goiter noxa, 468†, 714*
MCCONNELL, J. S.; FROST, J. W.; WILBUR, R. W., and ROSE, E.: The treatment of thyrotoxicosis with aminothiazole. Results in twenty-three cases, 812*
MCCORMACK, G.: A comparison of the color chemical test with the Friedman modification of the Aschheim-Zondek test, 608
MCCULLAGH, E. P. and HEWLETT, J. S.: Acromegaly associated with amyotrophic lateral sclerosis and acromegaly of the amyotrophic type, 636*
——, *see* LEWIS, L. A., 559*
MCDONALD, D. F. and ODELL, L. D.: Serum glucuronidase activity during normal and toxemic pregnancy, 535*
MCGAVACK, T. H., *see* DREKTER, I. J., 451†, 795*
——, *see* SCHWIMMER, D., 468†
MEANS, J. H.: Evaluation of the several methods for treating Graves' disease available today, 78
MEITES, J. and TURNER, C. W.: Effect of thiouracil and estrogen on lactogenic hormone and weight of pituitaries of rats, 531
MELVIN, J. P., JR., *see* ENGELHARDT, H. T., 230
MENDEL, E. B.: Chiari-Frommel syndrome: a historical review with case report, 608
MEYER, R. K., *see* KUPPERMAN, H. S., 447†
MICHAELS, J. P., *see* NELSON, E. W., 531
MILLER, H. C.: The effect of diabetic and prediabetic pregnancies on the fetus and newborn infant, 728
MILLER, R. A.: Pituitary hypothyroidism with impaired renal function, 74
MINTZ, S. S., *see* TRASOFF, A., 78
MOEHLIG, R. C.: Addison's disease followed for nine years: case report with autopsy, 134*
MORLOCK, C. G., *see* ROGERS, H. M., 383
MORROW, A. G. and BENUA, R. S.: An evaluation of the Guterman pregnancy test, 608
MOSCHCOWITZ, E.: Pathogenesis of cirrhosis of the liver occurring in patients with diffuse toxic goiter, 379
MOSENTHAL, H. O. and ROSEN, A. P.: Insulin regulation in one hundred and twenty-six diabetic children, 205*
MURPHY, A. J., *see* FOLDES, F. F., 76

NELSON, E. W. and MICHAELS, J. P.: Acute postpartum necrosis of the anterior hypophysis, 531
NEWMAN, E. A. and ROSS, P. H.: Thyrotoxicosis complicated by severe iodism: preparation for surgery with propylthiouracil, 212*
NICHOLSON, W. M.: Emotional factors in obesity, 225
NIEBURGS, H. E.; KUPPERMAN, H. S., and GREENBLATT, R. B.: Studies on the variations of blood gonadotropins and

vaginal smears during pregnancy in correlation with the fetal sex, 450†
NOBLE, R. L., *see* TOBY, C. G., 461†
NORRIS, E. H.: Anatomical evidence of prenatal function of the human parathyroid glands, 383

ODELL, L. D., *see* MCDONALD, D. F., 535*
OSHRY, E., *see* SEIDLIN, S. M., 467†
ÖSTERGAARD, E.: Feminizing tumor of the testis—presumably aberrant adrenocortical tumor, 438*

PAGE, I. H., *see* CORCORAN, A. C., 801*
——, *see* LEWIS, L. A., 69, 460†
PAGE, R. C. and LANG, E. H.: Study of absorption from crystalline insulin pellets and solutions at various sites in rabbits, 233
PALAY, S. L., *see* LAZAROW, A., 233
PARKS, A. E., *see* MACK, H. C., 351*
PARSON, W., see SEGALOFF, A., 446†, 130*
PASCHKIS, K. E. and CANTAROW, A.: Hyperophthalmopathic syndrome in thyroid disease, 102*
——; CANTAROW, A., and RAKOFF, A. E. Studies in cases of pituitary tumors, 466†
——, *see* RAKOFF, A. E., 448†, 688*
PEARSON, P. B., *see* ELLIOTT, J. E., 73
PEARSON, S., *see* DREKTER, I. J., 451†, 795*
PEDERSEN, J.: Virilizing ovarian tumors, 115*
PHELPS, D. H.: The factor of previous treatment in experimental menstruation, 449†, 611*
PIERCY, J. E., *see* LINNELL, J. W., 77
PIRANI, C. L., *see* LIMARZI, L. R., 225
PLANCK, E. H.: A comparison of the effectiveness of radiation therapy and estrogenic substances in the management of hyperthyroidism, 380
POLLACK, A., *see* SOFFER, L. J., 532
POMMERENKE, W. T., *see* VIERGIVER, E., 610
PORCILE, E., *see* BARMAN, J. M., 304
POTTENGER, F. M., JR.: The oral use of crude adrenal cortex in the stimulation of growth of the face, particularly the condyle of the mandible, 457†
POWER, M. H., *see* MASON, H. L., 458†
PREECE, J., *see* CHESLEY, J. C., 605
PRUNTY, F. T. G., *see* FORSHAM, P. H., 459†
——, *see* THORN, G. W., 459†
PUPPEL, I. D.; LEBLOND, C. P.; RILEY, E., and CURTIS, G. M.: The clinical significance of the functional behavior of adenomas of the thyroid gland, 380

RAKOFF, A. E.: Studies on high dosage progesterone therapy of amenorrhea, 609
——; PASCHKIS, K. E., and CANTAROW, A.: Clinical evaluation of dienestrol, a synthetic estrogen, 448†, 688*
——, *see* LEATHEM, J. H., 466†
——, *see* PASCHKIS, K. E., 466†
RAWSON, R. W. and MCARTHUR, J. W.: Radio iodine: its use as a tool in the study of thyroid physiology, 235*
REID, D. E.: Treatment of prolonged labor with posterior pituitary extract, 532
REIFENSTEIN, E. C., JR., *see* FORBES, A. P., 264*
REITMAN, F., *see* DAX, E. C., 533
REVENO, W. S.: Observations on the use of thiouracil, 380
——: Thiouracil effect in diabetes mellitus complicated by hyperthyroidism, 234
REYNOLDS, F. W., *see* CONNOR, J. F., 229
REYNOLDS, S. R. M.: Distortion of the spiral artery in the ovary in the presence of corpus hemorrhagicum cysts after administration of gonadotropins to rabbits, 447†
——: The relation of hydrostatic conditions in the uterus to the size and shape of the conceptus during pregnancy: a concept of uterine accommodation, 474
RICHTER, C. P.: Carbohydrate appetite of normal and hyperthyroid rats as determined by the taste-threshold method, 467†
RIDDLE, O. and associates: Studies on carbohydrate and fat metabolism. With special reference to the pigeon. (Book review), 661
RILEY, E., *see* PUPPEL, I. D., 380
ROBBINS, J., *see* CARTER, A. C., 464†, 753*
ROBERTIS, E. DE, *see* GRASSO, R., 378
ROBERTS, A., *see* HERTZ, A., 378
ROBERTS, J. B., *see* FELDMAN, F., 376
ROBERTS, J. G.: Disappearance of secondary sarcomatous deposits in the lungs after stilbestrol therapy, 226
ROBIN, E. D., *see* LANGNER, P. H., 232
ROE, J. F., *see* GOLDSTEIN, N. P., 231
ROGERS, H. M.; KEATING, F. R., JR.; MORLOCK, C. G., and BARKER, W. W.: Primary hypertrophy and hyperplasia of the parathyroid glands associated with duodenal ulcer, 383
ROGERS, W. F., JR. and WILLIAMS, R. H.: Correlations of biochemical and histological changes in the adrenal cortex in various types of disease, 463†
ROGERS, W. F., JR., *see* WILLIAMS, R. H., 462†
ROMANSKY, M. J., *see* LANGNER, P. H., 232
ROOT, H. F.; STOTZ, E., and CARPENTER, T. M.: The respiratory quotient and blood pyruvate and lactate responses

after oral ingestion of glucose and fructose in diabetes mellitus with and without insulin, 472
ROSE, EDWARD, *see* MCCONNELL, J. S., 812*
ROSENFELD, S., *see* ZWEIFACH, B. W., 460†
ROSS, E., *see* SHIPLEY, R. A., 70
ROSS, P. H., *see* NEWMAN, E. A., 212*
ROSSMAN, I. and BARTELMEZ, G. W.: Delayed ovulation, a significant factor in the variability of the menstrual cycle, 609
RUTHERFORD, R. N.: Preconceptional progestin therapy in habitual abortion, 609
RYNEARSON, E. H., *see* MASON, H. L., 458†

SALTER, W. T.: The applications of the Zimmermann and the Kober reactions concomitantly to human urine, 453†
SALTZMAN, A. H., *see* TALBOT, N. B., 331*
SCHERMANN, J., *see* CAPRIGLIONE, L., 303
SCHNEEBERG, N. G.; WOOLHANDLER, G., and LEVINE, R.: The clinical significance of hyperostosis frontalis interna, 624*
SCHNEIDER, C. L.: The active principle of placental toxin: thromboplastin; its inactivator in blood: antithromboplastin, 473
SCHWANDER, H. and MARVIN, H. N.: Treatment of carcinoma of the human breast with testosterone propionate, 423*
SCHWIMMER, D.; VOGEL, M., and MCGAVACK, T. H.: Clinical manifestations in forty cases of myxedema, 468†
SCOTT, E. P., *see* LIKINS, C. H., JR., 780
SCOTT, H. W., JR., *see* INGRAHAM, F. D., 376
SEGALOFF, A.: The effect of diet on the growth and survival of adrenalectomized rats treated with desoxycorticosterone acetate pellets, 70
—— and PARSON, W.: Hypogonadotropic eunuchoidism: report of case with failure to respond to chorionic gonadotropic hormone due to antihormones, 130*
——; WEED, J. C., and PARSON, W.: Progesterone therapy of uterine fibromyoma, 446†
——, *see* WEED, J. C., 455†, 741*
SEIDLIN, S. M.; OSHRY, E., and YALOW, A. A.: Twelve cases of metastatic thyroid carcinoma studied with radioactive iodine, 467†
SELEY, A. D.; BAUMGOLD, D., and VERNICK, S.: Oral estrogen therapy during menopause, 451†
SELIGMAN, B. and WEINTROB, M.: (Letter to Editor). Treatment of thiouracil agranulocytosis with streptomycin, 219*
SELLERS, A. L., *see* LEVINE, E. B., 74
SEVRINGHAUS, E. L., *see* KIMBLE, M. S., 232
SEXTON, D. L.: Thiouracil. Clinical evaluation following two and one-half years' experience, 381
SHARPEY-SHAFER, E. P.: 2-Thiouracil in the treatment of congestive heart failure, 74
SHELTON, E. K. and MARK, J. S.: The use of methyl testosterone and testosterone propionate in premature infants, 465†
——; VARDEN, A. E., and MARK, J. S.: Experimental use of testosterone compounds in premature infants, 708*
SHIPLEY, R. A. and DORFMAN, R. I.: The effect of infection and trauma on the excretion of urinary cortin, 70
——; DORFMAN, R. I.; BUCHWALD, E., and ROSS, E.: The effect of infection and trauma on the excretion of urinary cortin, 70
——, *see* DUMM, R. M., 230
SHORR, E., *see* ALMY, T. P., 455†
——, *see* CARTER, A., 828*
——, *see* ZWEIFACH, B. W., 460†
SIGLIN, I. S.; EATON, L. M.; CAMP, J. D., and HAINES, S. F.: Symmetric cerebral calcification which followed postoperative parathyroid insufficiency: report of a case, 433*
SIMKINS, S.: Use of massive doses of vitamin A in the treatment of hyperthyroidism. A preliminary report, 574*
SMITH, E. J. R., *see* DAX, E. C., 533
SMITH, G. V. S., *see* SMITH, O. W., 609
SMITH, O. W.; SMITH, G. V. S., and HURWITZ, D.: Increased excretion of pregnanediol in pregnancy from diethylstilbesterol with special reference to the prevention of late pregnancy accidents, 609
SMITH, P. M., *see* GOLDBERG, M. B., 11*
SOFFER, L. J.; VOLTERRA, M.; GABRILOVE, J. L.; POLLACK, A., and JACOBS, M.: Effect of iodine and adrenalin on thyrotropin in Graves' disease and in normal and thyroidectomized dogs, 532
SOLOMON, B., *see* JAFFE, H., 454†
SPAIN, A. W. and GEOGHEGAN, F.: Diabetes insipidus with postpartum pituitary necrosis. A report of two cases, 75
SPALDING, J. M. K.: A case of phaeochromocytoma, 534
SPANKUS, W. H. and GRANT, R. S.: Gynecomastia, 586*
SPECK, G.: Pregnancy in cases of pituitary dwarfism, 532
SPENCE, H. M. and THOMPSON, F. G., JR.: Hormone-producing tumor of adrenal cortex with congenital absence of contralateral adrenal gland, 71
STAFFIERI, J. J., *see* CASTILLO, E. B. DEL, 76
STAINSBY, W. J. and COLLINS, J. A., JR.: Diabetes mellitus. An analysis of 250

cases and a discussion of simplified procedures for regulation, 779
STEALY, C. L., *see* STIMMEL, B. F., 452†
STIMMEL, B. F.: The metabolism of single therapeutic doses of the natural estrogens in human subjects, 364*
——: Some observations on the utilization of a liquid chromatogram technique in the colorimetric estimation of urinary pregnanediol, 457†
—— and STEALY, C. L.: Further studies on the metabolism of therapeutic doses of the natural estrogens in human subjects, 452†
STOTZ, E., *see* ROOT, H. F., 472
STURGIS, C. C., *see* BEIERWALTES, W. H., 305
SULMAN, F., *see* ZONDEK, B., 159*
SUSSELMAN, S., *see* FELDMAN, F., 376
SWEENEY, J. S.; HALEY, A. E., and YAKLIN, L.: (Letter to Editor). An observation on menstrual misbehaviors, 659*

TALBOT, N. B.; ALBRIGHT, F.; SALTZMAN, A. H.; ZYGMUNTOWICZ, A., and WIXOM, R.: The excretion of 11-oxycorticosteroid-like substances by normal and abnormal subject, 331*
TEILUM, G.: Arrhenoblastoma—androblastoma. Homologous ovarian and testicular tumors II, 228
——: Gonocytoma. Homologous ovarian and testicular tumors I, 227
TELFORD, I. R., *see* GOLDSTEIN, N. P., 231
THATCHER, J. S., *see* HARTMAN, F. A., 461†
THELANDER, H. E.: Congenital adrenal-cortical insufficiency associated with macrogenitosomia, 604
THOMPSON, F. G., JR., *see* SPENCE, H. M., 71
THOMPSON, K. W.: Letter to Editor re "Is endemic goiter due to lack of iodine?" 62*
THOMPSON, P. K., *see* THOMPSON, W. O., 467†
THOMPSON, W. O.; THOMPSON, P. K., and JEPPSON, E. M.: The effect of hypothyroidism on menstruation, 467†
THORN, G. W.; PRUNTY, F. T. G., and FORSHAM, P. H.: Metabolic changes following the administration of pituitary adrenocorticotropic hormone (ACTH) in man, 459†
——, *see* FORSHAM, P. H., 459†
TOBY, C. G. and NOBLE, R. L.: The role of the adrenal cortex in protein catabolism following trauma, 461†
TOWERY, B., *see* WILLIAMS, R. H., 462†
TRABUCCO, A., *see* CASTILLO, E. B. DEL, 493*
TRASOFF, A.; WOHL, M. G., and MINTZ, S. S.: Fatal agranulocytosis with autopsy following use of thiouracil in case of thyrotoxicosis, 78
TURNER, C. W., *see* MEITES, J., 531

UCKO, H.: Iodine-lack theory and endemic goiter, 820*

VANDERLAAN, W. P., *see* ASTWOOD, E. B., 304
VARDEN, A. E., *see* SHELTON, E. K., 708*
VENNING, E. H. and BROWNE, J. S. L.: Effect of testosterone upon the excretion of glycogenic corticoids, 460†, 729*
—— and BROWNE, J. S. L. Excretion of glycogenic corticoids and of 17-ketosteroids in various endocrine and other disorders, 79*
——, *see* BROWNE, J. S. L., 446†
VERNICK, S., *see* SELEY, A. D., 451†
VIERGIVER, E. and POMMERENKE, W. T.: Cyclic variations in the viscosity of cervical mucus and its correlation with amount of secretion and basal temperatures, 610
VOGEL, M., *see* SCHWIMMER, D., 468†
VOLTERRA, M., *see* SOFFER, L. J., 532

WAGER, J., *see* HORVATH, S. M., 73
WALSH, F. B. and HOWARD, J. E.: Conjunctival and corneal lesions in hypercalcemia, 644*
——, *see* HOWARD, J. E. 464†
WEAVER, J. D.: Estrogenic hormones, often only a psychotherapeutic agent, 228
WEED, J. C.; SEGALOFF, A.; WIENER, W., and DOUGLAS, J. W.: True hermaphroditism. Endocrine studies in a case of ovotestis, 741*
——, SEGALOFF, A.; WIENER, W., and DOUGLAS, J. W.: True hermaphroditism: Report of a case with an ovotestis, and endocrine studies, 455†
——, *see* SEGALOFF, A., 446†
WEINTROB, M., *see* SELIGMAN, B., 219*
WEISMAN, A. I. and COATES, C. W.: The diagnosis of hydatidiform mole by gonadotropic hormone assay using the South African frog, *Xenopus Laevis*, 289*
WELLS, L. J. and LUND, C. J.: Effects of steroid hormones upon the developmental separation of the prepuce from the glans penis, 192*
WEST, R., *see* COVOLO, G. C., 325*
WETZEL, N. C.: The baby grid. An application of the grid technique to growth and development in infants, 780
WHITE, P.: Pregnancy complicating diabetes, 471
WHITELAW, M. J.: Thiouracil in the treatment of hyperthyroidism complicating

pregnancy and its effects on the fetus, 469†
——: Thiouracil in the treatment of hyperthyroidism complicating pregnancy and its effect on the human fetal thyroid, 767*
WIENER, W., *see* WEED, J. C., 455†, 741*
WILBUR, R. W., *see* MCCONNELL, J. S., 812*
WILKINS, L. and FLEISCHMANN, W.: Effects of thyroid on creatine metabolism with a discussion of the mechanism of storage and excretion of creatine bodies, 381
WILLIAMS, R. H.: Thyroid and adrenal interrelations with special reference to hypotrichosis axillaris in thyrotoxicosis, 52*
——; DAUGHADAY, W. H.; ROGERS, W. F., JR.; ASPER, S. P., JR., and TOWERY, B.: Studies on obesity, 462†
——, *see* DAUGHADAY, W. H., 454†
——, *see* JAFFE, H., 454†
——, *see* ROGERS, W. F., JR., 463†
WILLIAMSON, M. B.: Concentration and properties of the adrenocorticotrophic substance in female human urine, 71
WINSON, S. G.: An analysis of 257 cases of sterility, 610
WINTHER, N.: Menorrheal problems in college women, 610
WIXOM, R., *see* TALBOT, N. B., 331*
WOHL, M. G., *see* TRASOFF, A., 78
WOLMAN, I. J.: Basal metabolism in childhood: current progress, 382
——: Melituria in healthy American men with special reference to transitory glycosuria, 473
WOOD, M. N.: Chronic peptic ulcer in 94 diabetics, 779
WOOLHANDLER, G., *see* SCHNEEBERG, N. G., 624*

YAKLIN, L., *see* SWEENEY, J. S., 659*
YALOW, A. A., *see* SEIDLIN, S. M., 467†
YOUNG, F. G.: Growth and diabetes in normal animals treated with pituitary (anterior lobe) diabetogenic extract, 75

ZONDEK, B. and BLACK, R.: Estrone clearance test in infectious hepatitis, 519*
—— and SULMAN, F.: The hyperemia AZT and the evaluation of the hyperemia rat unit of chorionic gonadotropin, 159*
ZWEIFACH, B. W.; SHORR, E.; BAEZ, S., and ROSENFELD, S.: Hepato-renal factors in circulatory homeostasis: XVIII, Relation of adrenals to formation of a renal vaso-excitor principle, 460†
ZYGMUNTOWICZ, A., *see* TALBOT, N. B., 331*

SUBJECT INDEX

* Original article.

† Abstract of paper presented at the Twenty-ninth Annual Meeting of The Association for the Study of Internal Secretions.

Other items are abstracts of articles which appeared in current medical journals.

ABNORMALITIES: *see* Congenital Anomalies; and under various endocrine glands

ABORTION: *see* Pregnancy

ABSORPTION: *see also* Pellet implantation; and under various preparations

—— effect of methods of administration on, 452†

—— of diethylstilbestrol dipalmitate, comparison of aqueous and oil preparations, 448†

—— of insulin in rabbits, administered by different routes, 233

ABSTRACTS: *see* Association

ACROMEGALY: *see* Pituitary, disorders

ADDISON'S DISEASE: *see also* Adrenals disorders, preparations, steroids, etc.

—— absence of adrenals in, 134*

—— cholelithiasis associated with, 134*

—— familial, 134*

—— followed nine years; autopsy; diffuse fibrosis of anterior pituitary, etc., 134*

—— in children, 383

—— in the Negro, 69

BLOOD IN, hypoglycemia, severe, 134*

—— leukocytes, circulating; effect of adrenocorticotropic hormone on, 458†

—— red blood cells, arginase activity of; effect of 11-dehydrocorticosterone acetate on, 325*

SKIN IN, leukoderma or vitiligo, 134*

—— in Negro, 69

—— pigmentation, intense, 134*

THERAPY, adrenal cortex extract; vitamin C; salt; pellet implantation; intramuscular and sublingual administration of desoxycorticosterone acetate; in patient followed 9 years, 134*

—— adrenocorticotropic hormone; effect on circulating leukocytes in, 458†

—— 11-dehydrocorticosterone acetate; effect on arginase activity of red blood cells, 325*

—— desoxycorticosterone acetate in treatment of adrenal cortical insufficiency; by implantation of pellets, 70, 134*, 331*, 462†
by injection, 331*, 533

URINE IN, adrenocortical hormones; chemical assay of, 454†

—— glycogenic corticoids, 79*

—— gonadotropins, 1*

—— 17-ketosteroids, 79*, 331*

—— 11-oxycorticosteroids, 331*

ADRENALS

ABNORMALITIES: *see also* Congenital Anomalies

—— *aberrant adrenal tissue;* in bilateral arrhenoblastoma without masculinization, 456†

— in location of rudimentary ovary, 385*

— in ovarian tumors, 115*, 605

— in testes, 604

— in testicular tumor, 438*

—— *absence,* congenital, of one adrenal; tumor in other, 71

—— *absence of,* in case of Addison's disease, 134*

DISORDERS

—— *adrenal cortical insufficiency,* 462†

—— in early life, 533

—— with diabetes mellitus and hypopituitarism (post-thyroidectomy), 376

—— with macrogenitosomia, 604

—— *familial: see* Familial

—— *hyperadrenocorticism,* with Cushing's syndrome, 331*, 787*

— with virilism, 331*

—— *of cortex: see also* Addison's disease; Adrenals, tumors; Cushing's syndrome; Puberty, precocious; Virilism

—— *of medulla: see* Pheochromocytoma; Tumors

—— *therapy: see* Adrenals, preparations

—— *urine: see* Adrenals, steroids

EXCISION

—— desoxycorticosterone acetate pellets and diet in treatment of adrenalectomized rats, 70

—— unilateral, in mental disorder associated with virilism and with pseudohermaphrodism, 533

HORMONES: *see also* Adrenals, steroids

—— adrenocortical hormones in endocrine and non-endocrine diseases, chemical assay of, in urine, 454†

ADRENALS (cont.)
HORMONES (cont.)
—— new hormone of adrenal cortex, the "fat factor," 461†
PHYSIOLOGY
—— adrenal-gonad-pituitary relationship in hamsters and rats, 463†
—— *adrenocorticotropic hormone of the pituitary: see also* Pituitary
— changes in circulating leukocytes induced by, in normal subjects and in Addison's disease, 458†
— chemical and cytochemical studies of adrenal cortex of rat, following administration of, 457†
— determination of uric acid-creatinine ratio in urine, following administration of, 459†
— in female human urine: effect on ascorbic acid level in adrenal, 71
— in thyroidectomized rats, 303
— metabolism of electrolytes, nitrogenous principles, steroids, etc. following administration to human subjects, 458†, 459†
—— correlation of adrenal histology with 17-ketosteroid excretion in various conditions associated with mental retardation 503*
—— correlations of biochemical and histological changes in various types of disease, 463†
—— *function: see also* Steroids
— androgenic, indicated by axillary hair, 52*
— measured by: 17-ketosteroid excretion in urine, 79*, 264*, 503*
lipoid deposition in adrenal cortex, 463†
11-oxycorticosteroids, 331*
— simple test for, by use of uric acid-creatinine ratio in urine following administration of ACTH, 459†
— types of, differentiation by use of urinary glycogenic corticosteroids and 17-ketosteroids, 79*
—— relation of adrenals to formation of a renal vaso-excitor principle in circulatory hemostasis, 460†
—— role of adrenal cortex in protein catabolism following trauma, 461†
—— size of adrenals in hamsters and rats, relationship of sex steroids to, 463†
—— thyroid interrelations, 52*
PREPARATIONS
—— adrenalin: effect on serum thyrotropin in Graves' disease, 532

ADRENALS (cont.)
PREPARATIONS (cont.)
—— adrenal cortex, crude; oral use of in stimulation of growth of face, particularly the condyle of the mandible, 457†
—— adrenal cortex extract in treatment of Addison's disease, 134*
—— adrenal extracts and steroids; assay for protective action against toxins, 69
—— adrenal preparations, protective power of, against bacterial toxins, 460†
—— adreno-cortical preparations in treatment of adrenal cortical insufficiency associated with macrogenitosomia, 604
—— 11-dehydrocorticosterone acetate, effect on arginase activity of red blood cells, in Addison's disease and in Simmonds' disease, 325*
—— *desoxycorticosterone acetate*
— effect on excretion of 11-oxycorticosteroids in adrenal virilism, 331*
— in treatment of adrenal cortical insufficiency, 134*, 533
by pellet implantation, 70, 134*, 462†
by sublingual administration; swelling of salivary glands and salivation due to, 134*
—— epinephrine, in diagnosis and postoperative treatment of pheochromocytoma, 475*
STEROIDS
—— *excretion in urine*
—— adrenocortical hormones in endocrine and non-endocrine diseases, chemical assay of, 454†
—— "corticosterone" excretion in obesity, 462†
—— cortin, effect of infection and trauma on, 70, 70
—— cortin-like substances, effect of ACTH on, 458†
—— glycogenic corticoids, effect of testosterone on, 460†, 729*
in Addison's disease, 79*
—— 17-ketosteroids
effect of ACTH on, 458†, 459†
effect of testosterone on, 729*
in Addison's disease, 79*, 331*
in hyperadrenocorticism with Cushing's syndrome, 331*
in pheochromocytoma with diabetes, 716*
—— 11-oxycorticosteroids, in Addison's disease, 331*

ADRENALS (cont.)
STEROIDS (cont.)
in hyperadrenocorticism with Cushing's syndrome; effect of removal of tumor of adrenal cortex on, 331*
in hyperadrenocorticism with virilism, 331*
—— steroids
effect of unilateral adrenalectomy in mental disorder with virilism, ism, etc., 533
relation of, to adrenal cortical hyperplasia and tumors, 543*
TUMORS: *see also* Adrenals, abnormalities
—— absence, congenital, of one adrenal; tumor in other, 71
—— adrenal-like tumor of ovary, 605
—— carcinoma of adrenal cortex in unusual case of virilism following remission of Cushing's syndrome, 787*
—— differential diagnosis of tumor from hyperplasia, 543*
—— effect of removal of adrenal cortex tumor upon excretion of 11-oxycorticosteroids and 17-ketosteroids in Cushing's syndrome, 331*
—— increased excretion of dehydroisoandrosterone in, 543*
—— pheochromocytoma: *see* Pheochromocytoma
—— relation of urinary steroids to, 543*
AGENESIS, ovarian: *see* Ovary, syndrome
AGRANULOCYTOSIS: *see* Bloods, cells; Thiouracil
ALLERGY, freedom from local allergic reactions following administration of diethylstilbestrol dipalmitate in aqueous medium, 448†
ALLOXAN: *see* Diabetes mellitus, experimental
AMENORRHEA: *see* Menstruation
AMERICAN ASSOCIATION FOR THE STUDY OF GOITER: *see* Association News
AMERICAN MEDICAL ASSOCIATION: *see* Association News
AMINOTHIAZOLE, in treatment of thyrotoxicosis, 812*
AMYLASE in blood; effect of ligation of pancreatic ducts on, in cats, 231
ANDROBLASTOMA: *see* Testis
ANDROGENS: *see also* Gonad; Steroids; Testis; Urine
—— androgenic function of adrenal indicated by amount of axillary hair, 52*
—— deficiency in male; evaluation of urethral smear test for, 186*
ANDROGENS (cont.)
EFFECTS
—— *of methyl testosterone*
—— and testosterone propionate on excretion of creatine and creatinine, 381
—— and testosterone propionate on excretion of glycogenic corticoids and 17-ketosteroids in normal subjects, diabetes mellitus, Cushing's syndrome, and lupus erythematosis disseminatus, 729*
—— on arginase activity of red blood cells, 325*
—— on urethral smear in male hypogonadism, 186*
—— *of testicular extract*, aqueous, on growth and development of mammary tumors in dogs, 464†
—— *of testosterone*, on blood regeneration in thyroidectomized rats, 306
—— on excretion of glycogenic corticoids, 460†
—— on excretion of 11-oxycorticosteroids in Cushing's syndrome and in adrenal cortical virilism, 331*
—— on plasma protein pattern in Cushing's syndrome, 559*
—— on spermatogenesis in the rat, 227
of testosterone propionate: see also androgens, effects of methyl testosterone, and therapy
—— cause of virilism in women treated for carcinoma of breast, 423*
—— on prostate and seminal vesicles, (topical application), 192*
—— on serum calcium, 74
IN URINE
—— androgen-estrogen relationships in human organism, measured by Zimmermann and Kober reactions applied concomitantly to urine, 453†
—— androsterone, dehydroisoandrosterone and testosterone; quantitative recovery from urine, 795*
—— dehydroisoandrosterone: increased excretion of, in case of adrenal cortical tumor, 543*
—— effect of removal of virilizing ovarian tumor, on excretion of, 115*
—— in diagnosis of adrenal cortical tumors and hyperplasia; including Cushing's syndrome, precocious puberty and hermaphrodism, 543*
—— in feminizing testicular tumor, 438*

ANDROGENS (cont.)
IN URINE (cont.)
—— in human male; excretion of 17-ketosteroids, 452†
—— in various conditions associated with mental retardation; including mongolism, cretinism and myotonia dystrophica, 503*
THERAPY
—— *methyl testosterone*, sublingual application, in treatment of male hypogonadism, 293*
—— therapy in premature infants, 465†, 708*
—— *testosterone*, in treatment of hypogonadotropic eunuchoidism, 130*
—— in treatment of male climacteric, 74
—— in treatment of polyostotic fibrous dysplasia: improvement of vision, 455†
—— lack of effect in angina pectoris, 74
—— pellet implantation: in treatment of male hypogonadism, 293*
—— pellet implantation: in treatment of "pan-hypopituitary" eunuchoidism, resulting in spermatogenesis, 781*
—— *testosterone propionate*, in treatment of acromegaly, 636*
—— in treatment of carcinoma of the female human breast, 74, 423*
—— therapy, in premature infants, 465†, 708*
—— topical application, effect of, on developmental separation of prepuce from glans penis, 192*
ANEMIA: *see* Blood
ANGINA PECTORIS: *see* Heart
ANNOUNCEMENTS *see* Association
ANNUAL MEETINGS: *see* Association, announcements
ANOMALIES: *see* Congenital anomalies; and abnormalities under various endocrine glands
ANOREXIA NERVOSA, glycogenic corticoid excretion in, 79*
—— 17-ketosteroid excretion in, 79*
—— urinary gonadotropins in, 1*
ANTIHORMONES, against pituitary equine gonadotropin, 466†
antigonadotropic, cause of failure to respond to chorionic gonadotropin, in eunuchoidism, 130*
—— determination of, 130*
antigonadotropic serum, basophilic changes in pituitary following administration to rats, 447†
ANTIHORMONES (cont.)
—— gonadal stimulation following administration to rats, 447†
ANTIMONY-TRICHLORIDE REACTION in determining chromogenicity of steroids, 454†
ANTITHROMBOPLASTIN, 473
ARGINASE, activity of, in red blood cells; effect of methyl testosterone and of 11-DHCA, 325*
ARRHENOBLASTOMA: *see* Ovary, tumors
ARTERIES: *see* Vascular system: Hypertension
ARTHRITIS, ankylosing spondylarthritis (Marie-Strümpell type) and rheumatoid arthritis; 17-ketosteroid excretion in, in relation to sex distribution, 201*
—— arthralgia and urticaria during aminothiazole therapy in thyrotoxicosis, 812*
ARTIFICIAL INSEMINATION, studies, showing optimal time of conception, 606
ASCHHEIM-ZONDEK TEST: *see* Gonadotropins; Pregnancy, diagnosis; Tests
ASCORBIC ACID: *see* Vitamins
ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS
ABSTRACTS of current endocrine literature, 69, 225, 303, 376, 471, 531, 604, 727, 779
—— of papers on program, 29th Annual Meeting of the Association, June 6–7, 1947, 446–470†
—— reviews, book, 661
ANNOUNCEMENTS OF THE ASSOCIATION
—— *annual meetings*
—— twenty-ninth, 68, 165, 222, 446
—— thirtieth, 530, 602, 662, 724, 774, 831
—— *awards*
—— Ayerst, McKenna and Harrison fellowship, 663, 725, 775, 832
—— Ciba, 663, 725, 775, 832
—— E. R. Squibb and Sons, 663, 725, 775, 832
—— recipients of, 223
—— *postgraduate course in endocrinology*, 777, 834
LETTERS TO THE EDITOR, 58*, 60*, 62*, 219*, 659*, 828*, 830*
NEWS
—— American Association for the Study of Goiter, Van Meter Prize Award, 603, 664, 726, 778, 833
—— American Medical Association, Council on Pharmacy and Chemistry, grants for research, 170
—— Cancer Research Congress, Fourth International, 66
—— Laurentian Hormone Conference, program, 374

ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS (cont.)
NEWS (cont.)
—— Obituary, E. L. Laqueur, 603
—— Schering award competition, 66
—— Schering endocrine research funds, 65
NOTICES: *see* Announcements and news
POSTGRADUATE COURSE in Endocrinology, 777, 834
PROGRAMS
—— *of twenty-ninth annual meeting*, 166–169
—— abstracts of papers read, 446–470†
AUTOTRANSPLANTATION of thyroid, role of nervous system in, 75
AWARDS: *see* Association, awards and news
AYERST, McKENNA AND HARRISON FELLOWSHIP: *see* Association, awards
AZOOSPERMIA: *see* Sterility; Testis, spermatozoa

BASAL METABOLISM, in childhood, 382
—— method for assuring accuracy, 304
BLOOD
—— *amylase* and lipidase content, effect of ligation of pancreatic ducts on, in cats, 231
—— *anemia* induced by hypophysectomy in rats; effects of iron, copper and thyroxine, 376
—— *antigonadotropic hormone*, determination of, in eunuchoidism, 130*
—— *arginase*, activity of, in red cells: effect of methyl testosterone and 11-DHCA on, 325*
CALCIUM determination of, by direct photoelectric method, 73
— hypercalcemia with conjunctival and corneal lesions in vitamin D poisoning, hyperparathyroidism, and sarcoid, 464†, 644*
— in myxedema with hyperparathyroidism, 152*
—— *carotene and vitamin A metabolism* in the diabetic, as reflected by blood levels, 232
CELLS
—— *agranulocytosis*, fatal, from thiouracil in thyrotoxicosis, 78
— from thiouracil in treatment of malignant exophthalmos, 102*
— from thiouracil; streptomycin therapy in, 219*
— from thiouracil therapy in toxic goiter, 305
BLOOD (cont.)
CELLS (cont.)
— prevention of, during administration of thiouracil, 305
—— granulopenia during thiouracil therapy, 566*
—— leukocytes, changes in, induced by pituitary adrenocorticotropic hormone in normal subjects and in Addison's disease, 458†
CHOLESTEROL
— cholesterol esters and phospholipid phosphorus in thyroid disease, 76
— cholesterol, in hyperthyroidism, effect of treatment with vitamin A, 574*
—— *estrone*, in acromegaly, cirrhosis of the liver, pregnancy, and pregnancy with infectious hepatitis, 519*
—— *glucuronidase* activity of serum during normal and toxemic pregnancy; effect of stilbestrol on, in normal puerperium, 535*
—— *gonadotropins* in pregnancy; correlation with sex of fetus, 450†
—— *hemochromatosis* without pigmentation or diabetes, 72
IODINE, in eunuchoidism with hyperthyroidism, 566*
— in obesity, 462†
LEUKEMIA, effect of thiouracil on, 225
— thiouracil therapy in, 780
PHOSPHORUS and phosphatase, (alkaline) in myxedema with hyperparathyroidism, 152*
—— phosphorus, phospholipid, in thyroid disease, 76
PROTEIN
— protein content and specific gravity of plasma in hyperthyroidism, 75
— protein pattern of plasma in Cushing's syndrome; effect of bilateral hemiadrenalectomy, of testosterone, and of x-ray irradiation of pituitary on ,559*
— protein pattern of plasma in disorders of adrenal and pituitary, 559*
—— *pyruvate and lactate*, in diabetes mellitus, following oral ingestion of glucose and fructose, with and without insulin, 472
—— *regeneration;* effect of castration, cobalt, testosterone, thiouracil, thyroxine, etc. on, in rat, 306
—— *sedimentation rate;* effect of adrenalectomy on, in combined adrenal and mental disease, 533

BLOOD (cont.)
SUGAR: *see also* Carbohydrate metabolism; Diabetes mellitus
—hypoglycemia, rapid test for, 72
—hypoglycemia, severe, in Addison's disease, 134*
BODY, growth and weight: *see* Growth; Weight
BONES, age studies in syndrome of ovarian aplasia with sexual infantilism, high urinary gonadotropins and short stature, 665*
—— alterations in, in "rudimentary ovary" syndrome, 385*
—— effect of androgen therapy on osteolytic metastases from carcinoma of human breast, 423*
—— hyperostosis cranialis interna in case of virilizing ovarian tumor, 115*
—— hyperostosis frontalis interna syndrome not a clinical entity, 624*
—— mandible; stimulation of growth by oral use of crude adrenal cortex extract, 457†
—— osteoporosis and Paget's disease; effect of stilbestrol and progesterone on excretion of 11-oxycorticosteroids in, 331*
—— perosis from thiouracil, in chicks, 76
—— polyostotic fibrous dysplasia; a defense of the entity, 307*
—— polyostotic fibrous dysplasia; regression with testosterone therapy; improvement of vision, 455†
—— relationship of parathyroid glands to action of estrogen on, 383
BOOK REVIEW, Studies on Carbohydrate and Fat Metabolism, With Especial Reference to the Pigeon. Riddle, Oscar and associates, 661
BRAIN: *see also* Congenital Anomalies; Psychic factors; Psychosis
—— cerebral calcification, symmetric, following postoperative parathyroid insufficiency, 433*
—— 17-ketosteroid excretion in various conditions of defective mental development (oligophrenia); correlation with autopsy findings, 503*
—— mental disorders associated with adrenal virilism; effect of adrenalectomy in, 533
BREAST: *see also* Ovary; Tumors
CARCINOMA, testosterone propionate therapy; cause of hirsutism, 423*
—— effect on serum calcium, 74
—— effect on serum calcium, inorganic phosphorus, and acid and alkaline phosphatase, 423*
GYNECOMASTIA in bilateral arrhenoblastoma without masculinization: high urinary gonadotropin titer, 456†
BREAST (cont.)
GYNECOMASTIA (cont.)
—— in thyrotoxicosis; relation of axillary hair to, 52*
—— male, as a result of testicular tumor; effect of removal of tumor, 438*
differential diagnosis, etiology, incidence, pathology, treatment, 586*
following administration of aqueous testicular extract, in dog, 464†
in association with androblastoma, 228
in eunuchoid males, 566*, 586*
hormone excretion in, 586*
oligospermia associated with, 586*
LACTATION: inhibition of, by dienestrol, a synthetic estrogen, 448†, 688*
—— use of stilbestrol in prevention of engorgement and lactation in nonnursing mothers, 607
MASTITIS, chronic cystic, dienestrol therapy in, 688*
TUMORS, effect of aqueous testicular extracts on mammary tumors in dog, 464†
BURNS, excretion of 17-ketosteroids and 11-oxycorticosteroids in, 331*

CALCIUM, calcification, symmetric cerebral, following postoperative parathyroid insufficiency, 433*
—— determination of, in serum, by direct photoelectric method, 73
—— hypercalcemia, with conjunctival and corneal lesions, in vitamin D poisoning, in hyperparathyroidism, and in sarcoid, 464†, 644*
—— in serum, during testosterone therapy for carcinoma of the breast, 74, 423*
—— lactate, in the treatment of parathyroid insufficiency, 433*
—— metabolism in hyperparathyroidism with myxedema, 152*
—— renal calcinosis and calculi; effect of hypertonic saline infusions on urine flow in, 753*
CANCER: *see* Tumors, and under various endocrine glands
CANCER RESEARCH CONGRESS, fourth international: *see* Association, news
CARBOHYDRATE METABOLISM: *see also* Diabetes mellitus
—— appetite for carbohydrate in normal and hyperthyroid rats, determined by taste-threshold method, 467†
—— carbohydrate tolerance; physiologic changes in, during pregnancy, 230

CARBOHYDRATE METABOLISM (cont.)
—— dextrose tolerance: *see* Carbohydrate metabolism, sugar tolerance
—— Exton-Rose test: *see* Carbohydrate metabolism, sugar tolerance
—— glucose tolerance: *see* Carbohydrate metabolism, sugar tolerance
—— glucose in treatment of diabetic ketosis, 229
—— glycogenic corticosteroids in urine, in endocrine and other disorders, 79*, 331*, 729†
— effect of testosterone on excretion of, 729*
—— hyperglycemia, paroxysmal, due to pheochromocytoma of adrenal, 30*
—— hypoglycemia, in infants, 533
— rapid test for detection of, 72
— severe, in Addison's disease, 134*
—— influence of oral ingestion of glucose and fructose on respiratory quotient and blood pyruvate and lactate responses, with and without insulin, in diabetes mellitus, 472
—— in pigeon; cyclic glycemias and lipemias associated with egg production, 661
—— melituria in healthy American men with reference to transitory glycosuria, 473
—— sugar (dextrose, glucose) tolerance: Exton-Rose test, fallacy of, 232
— in virilism, 11*
— two-dose, in diagnosis of diabetes mellitus and renal glycosuria, 229
CARBON TETRACHLORIDE, liver and gonadal changes following administration to male rats and female guinea pigs, 448†
CARCINOMA: *see* Tumors; and under various endocrine glands
CASTRATION: *see* incidental to Climacteric; Menstruation; Ovary; Testis
CHAIRI-FROMMEL SYNDROME: *see* Syndrome
CHEMISTRY: *see* Methods; Tests; and under various chemical compounds
CHILDREN: *see also* Dwarfism; Growth; Infants; and under various glandular disorders
—— Addison's disease in, 383
—— basal metabolism in, 382
—— craniopharyngiomas in, 376
—— diabetic, growth of, in relationship to level of control of the disease, 727
—— diabetic, insulin regulation in, 205*
—— gonadotropins, urinary, in prepuberal children, 1*
—— menstruation in, 171*
—— tables for predicting height, 473
CHLORIDE: *see also* Addison's disease; Sodium
CHLORIDE (cont.)
—— excretion during glycosuria, in diabetes, 231
—— hypertonic saline infusions in differential diagnosis of diabetes insipidus and psychogenic polydipsia, 464†, 753*
CHOLESTEROL:
—— cholesterol, cholesterol esters and phospholipid phosphorus in blood in thyroid disease, 76
—— content of adrenals, correlation with histological changes in various types of disease, 463†
—— in blood, in hyperthyroidism; effect of treatment with Vitamin A, 574*
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy, diagnosis
CHROMAFFIN: *see* Pheochromocytoma; Tumors
CHROMOPHOBE ADENOMA: *see* Pituitary
CHRONIC DISEASE, effect on 17-ketosteroid excretion in urine, 264*
CIBA AWARD: *see* Association, awards
CIRCUMCISION: *see* Penis
CIRRHOSIS: *see* Liver
CLIMACTERIC: *see also* Androgen; Estrogen; Menstruation; Ovary
—— *male*, testosterone in treatment of chest discomfort in, 74
— urinary gonadotropins in, 1*
—— *menopause*, dienestrol therapy in, 448†, 688*
— hexestrol therapy in, 607
— menopausal exophthalmic goiter, treatment of, with massive doses of vitamin A, 574*
— oral estrogen therapy in cases complicated by arthralgia, 451†
— psychiatric and endocrinological factors in, 226
— psychotherapeutic effect of estrogenic hormones, 228
— treatment with diethylstilbestrol dipalmitate; comparison of aqueous and oil preparations reabsorption and allergic reactions, 448†
— urinary gonadotropins in, 1*
COBALT, with and without thyroxin; effect on blood regeneration following thyroidectomy in rat, 306
COLD: *see also* Temperature
—— extreme; effect on heat production in men, 73
CONGENITAL ANOMALIES: *see also* Hermaphrodism; and various glandular disorders
—— absence of adrenals in case of Addison's disease, 134*

CONGENITAL ANOMALIES (cont.)
—— absence of one adrenal; tumor in other, 71
—— anencephalic monster, 767*
—— associated with aplastic ovaries, sexual infantilism, high urinary gonadotropins and short stature, 665*
—— associated with "rudimentary ovary" syndrome, 385*
—— associated with short stature, retarded sexual development, no urinary gonadotropins, 807*
—— in offspring of a pituitary dwarf, 532
CORPUS LUTEUM: *see* Ovary
CORTICOIDS: *see* Adrenals, steroids
CORTICOSTEROIDS: *see* Adrenals, steroids
CRANIOPHARYNGIOMA: *see also* Pituitary, tumors
—— in children; evaluation of treatment; related lesions of hypophysis and hypothalamus, 376
—— panhypopituitarism in patient followed 22 years after removal of craniopharyngioma, 79*
—— parapituitary tumors, craniopharyngiomas, 466†
CREATINE AND CREATININE, determination of uric acid-creatinine ration of ACTH, as test for adrenal cortex function, 459†
—— excretion of, in urine following administration of ACTH, 458†, 459†
—— storage and excretion of creatine; effect of thyroid, thiouracil, and of testosterone on, 381
CRETINISM: *see* Thyroid
CRYPTORCHISM: *See also* Androgens; Eunuchoidism; Hermaphrodism; Hypogonadism; Testis
—— bilateral, sublingual methyltestosterone therapy, 293*
CUBITUS VALGUS: *see also* Congenital Anomalies
—— associated with short stature, retarded sexual development and no urinary gonadotropins, 807*
—— in syndrome of congenitally aplastic ovaries with sexual infantilism, short stature, etc., 665*
CUSHING'S SYNDROME: *see also* Adrenal; Pituitary
—— adrenal cortical tumor in, 71, 331*
—— effect of bilateral hemiadrenalectomy; of testosterone; and of x-ray irradiation of pituitary on plasma protein pattern, 559*
—— effect of removal of adrenal cortical tumor; and of testosterone, on excretion of corticosteroids, 331*, 729*
CUSHING'S SYNDROME (cont.)
—— spontaneous remission followed by virilism; unusual case; autopsy, 787*
URINE: adrenocortical hormones, chemical assay of, 454†
—— glycogenic corticoids, 79*, 729*
—— gonadotropins, 1*
—— 17-ketosteroids, 79*, 331*, 559*, 729*
—— 11-oxycorticosteroids, 331*
—— steroids, 543*

DESOXYCORTICOSTERONE; acetate: *see* Adrenals, preparations
DEXTROSE TOLERANCE: *see* Carbohydrate metabolism; Diabetes mellitus
DIABETES INSIPIDUS: *see* Pituitary, disorders
DIABETES MELLITUS: *see also* Blood; Carbohydrate metabolism; Insulin
BLOOD, estimation of blood ketones in diabetes acidosis, 230
—— influence of oral ingestion of glucose and fructose with and without insulin, on respiratory quotient and blood pyruvate and lactate responses, 472
—— plasma protein pattern; in case complicated with acromegaly, 559*
—— sugar; two-dose dextrose tolerance test (Exton-Rose) in diagnosis, 229
— fallacy of, 232
—— vitamin A and carotene metabolism as reflected by the blood levels in, 232
COMPLICATIONS AND SEQUELAE, acute pyelonephritis; and necrosis of renal papillae in, 471
—— with acromegaly; disappearance of diabetes following acute mastoiditis and basilar meningitis, 455†
—— with acromegaly; plasma protein pattern in, 559*
—— with chronic peptic ulcer, 779
—— with hyperostosis frontalis interna, 624*
—— with hyperthyroidism; effect of treatment with thiouracil, 234
—— with hyperthyroidism, melanoderma and amenorrhea, 303
—— with hypopituitarism and hypoadrenalism (post-thyroidectomy), 376
—— with phenochromocytoma; effect of removal of tumor, 716*
EXPERIMENTAL, produced by alloxan; course of, in rat, 233
—— produced by alloxan; effect of food intake on diabetogenic action of diethylstilbestrol, in rat, 449†

DIABETES MELLITUS (cont.)
EXPERIMENTAL (cont.)
—— produced by alloxan; permanency of, and effect on pancreatic islets, in rat, 469†
—— produced by diabetogenic hormone of anterior pituitary, 304
—— produced by pituitary diabetogenic extract; effect on growth of normal animals, 75
IN CHILDREN, behavior and psychologic problems of young patients, 231
—— growth of; in relationship to level of control of the disease, 727
—— insulin regulation in diabetic children, 205*
IN PREGNANCY, effect of diabetic and prediabetic pregnancies on fetus and newborn infant, 728
—— fetal mortality in women during prediabetic period, 727
—— maternal, obstetrical, chemical, fetal and placental abnormalities, 471
—— physiologic changes in carbohydrate tolerance in, 230
—— treatment with insulin; effect on maternal and infant mortality, 230
THERAPY, glucose and insulin therapy in diabetic ketosis, 229
—— insulin regulation in diabetic children, 205*
—— regulation; analysis of 250 cases, 779
—— treatment with insulin; effect on maternal and infant mortality, 230
URINE, chloride excretion during glycosuria, 231
—— glycogenic corticoid excretion in, 79*, 729*
— effect of testosterone on, 729*
—— 17-ketosteroid excretion in, 79*, 729*
DIENESTROL: *see* Estrogens
DIET, effect on action of diethylstilbestrol upon alloxan diabetes, in rat, 449†
—— effect on body weight, in internment camp, 71
—— effect on growth and survival of adrenalectomized rats, 70
—— in regulation of diabetes mellitus, analysis of 250 cases, 779
—— low potassium, high chloride; in treatment of Addison's disease, 139*
DIETHYLSTILBESTROL: *see* Estrogens
DIHYDROTACHYSTEROL, in the treatment of parathyroid insufficiency, 433*
DIIDOTYROSINE, synthesis, as studied by transformation of radioactive iodine, 235*
DIODRAST, renal plasma clearance of, in hyperthyroidism and myxedema, 801*
DWARFISM: *see also* Children; Growth; Ovary, syndrome: Pituitary
—— associated with congenital defects, retarded sexual development, no urinary gonadotropins, 807*
—— associated with congenitally aplastic ovaries, sexual infantilism, high urinary gonadotropins and other congenital abnormalities, 665*
—— associated with ovarian agenesis, 11*
—— associated with primary amenorrhea, 609
—— moderate, in "rudimentary ovary" syndrome; comparison with hypophyseal dwarfism, 385*
—— pituitary; pregnancy in; congenital abnormalities of fetus, 532
DYSMENORRHEA: *see* Menstruation

EARS, auricular hairs; relation to race, endocrine stimulation and urinary steroids, 465†
EDEMA, during estrogen therapy for dysmenorrhea, 450†
EDITOR, letters to: *see* Association, letters
ENDOCRINE: see also Androgens; Estrogens, Hormones; Steroids; and under various endocrine glands
—— diseases; chemical assay of adrenocortical hormones in urine, 454†
—— disorders, associated with Cushing's syndrome, followed by virilism; unusual case, 787*
—— disorders; urinary glycogenic corticoids and 17-ketosteroids in, 79*
—— endocrines in gynecology, 384
—— endocrinopathies; three unusual, associated with ovarian pathology, 11*
—— endocrinopathies; urinary gonadotropins in, 1*
—— studies, in a case of ovotestis, 741*
—— therapy, in pseudohermaphrodism; social and psychological readjustment, 456†
ENDOCRINOLOGY, contribution of, to obstetrics and gynecology, 607
—— postgraduate course in: *see* Association, 777
ENZYMES: *see under* name of enzyme
EPINEPHRINE: *see* Adrenals, preparations
ERGOT, synthetic: methergine, induction of labor, with, 606
ESTRADIOL: *see* Estrogens
ESTRIOL: *see* Estrogens
ESTROGENS: *See also* Climacteric; Menstruation; Ovary; Pregnancy; Steroids
—— effect of chemical conjugation, vehicle, and route of administration of

ESTROGENS (cont.)
estrogen upon nature and amount of its excretion, 452†
—— endogenous; cervical cornification count as index of, 749*
—— estrogen-androgen relationships in human organism, 453†
—— estrogenic insufficiency; in syndrome of rudimentary ovaries with increase in gonadotropins, 385*
—— metabolic pathway of estriol production in the organism, 453†
—— natural; metabolism of single therapeutic dose:
— comparison on gonadless female and male, 364*
— during menstrual cycle, 364*
— in human male, 452†
—— similarity of estrogen to hormone from Sertoli cells of testis, 493*
—— tests for: comparison of color chemical test for pregnanediol with Friedman test, 608
— estimation of urinary pregnanediol by liquid chromatogram technique, 457†
— estrogenic steroids; simple quantitative colorimetric method for, 701*
— photometric estimation of estrogens in urine, 364*, 452†
— simple, quantitative, colorimetric for estrogens, 452†
EFFECTS, action of, on bone; relationship of parathyroid glands to, 383
—— and thiouracil; effect of, on lactogenic hormone and weight of pituitary in rat, 531
—— effect of diethylstilbestrol on glucuronidase activity in serum during normal and toxemic pregnancy, 535*
—— effect of diethylstilbestrol on urinary gonadotropin excretion, 1*
—— effect of food intake on diabetogenic action of diethylstilbestrol, in rat, 449†
—— effect of pregnanelone on excretion of 11-oxycorticosteriods in adrenal virilism, 331*
—— effect of pregnenolone Δ^5 on spermatogenic activity, 227
—— effect of progesterone on endometrium in monkey, 611*
—— effect of stilbestrol on high urinary gonadotropin output of syndrome of ovarian aplasia, sexual infantilism and short stature, 665*
—— effect of stilbestrol on luteal phase of menstruation; in experimental alteration of human ovarian cycle, 450†

ESTROGENS (cont.)
EFFECTS (cont.)
—— effect of topical application, on developmental separation of prepuce from glans penis, 192*
—— effect on excretion of 11-oxycorticosteroids in adrenal virilism, 331*
—— effect on excretion of pregnanediol in urine, 457†
—— increased excretion of pregnanediol in pregnancy from, 609
—— influence on endometrium, in the monkey, 711*
—— inhibitory action of dienestrol on pituitary, 688*
IN URINE, decreased, in "rudimentary ovary" syndrome with increase of gonadotropins, 385*
—— distribution of, after ingestion of single therapeutic dose, 364*
—— effect of dienestrol therapy on urinary estrogens, 688*
—— effect of stilbestrol and of progesterone on excretion of 11-oxycorticosteroids, 331*
—— estrogen-androgen relationships in human organism, measured by Zimmermann and Kober reactions applied concomitantly to urine, 453†
—— estrone clearance test, in infectious hepatitis, pregnancy, acromegaly, and cirrhosis of liver, 519*
—— excretion, effect of chorionic gonadotropin therapy on, 446†
—— in case of congenital defects, short stature, retarded sexual development and no urinary gonadotropins, 807*
—— in feminizing testicular tumor, 438*
—— in gonadless female: compared with human male, 364*
—— in male gynecomastia, 586*
—— in precocious puberty, 171*
—— in virilizing ovarian tumor, 115*
—— marked increase in excretion following administration of carbon tetrachloride to female guinea pigs, 448†
—— metabolism of therapeutic doses, in human male, 452†
—— pregnane derivative, in precocious puberty, 171*
—— pregnanediol excretion; antepartum and postpartum, 608
—— pregnanediol excretion in late pregnancy, increased by diethylstilbestrol, 609
—— pregnane-diols and -triols in urine in adrenal cortical tumors and hyperplasia, 543*

ESTROGENS (cont.)
THERAPY, as a psychotherapeutic agent, 228
—— cause of oligospermia and of decreased excretion of 17-ketosteroids, in normal male, 186*
—— dienestrol; evaluation of, in treatment of amenorrhea in young women; the menopause; inhibition of lactation; and various gynecological conditions, 448†, 688*
—— diethylstilbestrol dipalmitate in aqueous suspension, in treatment of menopause; absorption of; and freedom from local allergic reactions following administration, 448†
—— effect of treatment with, in a case of congenital defects, short stature, retarded sexual development, and no urinary gonadotropins, 807*
—— effect on hydrogen ion concentration of senile vaginal mucosa, 226
—— hexestrol in treatment of estrogen deficiency, 607
—— in treatment of hyperthyroidism, 380
—— in treatment of syndrome of ovarian aplasia, sexual infantilism, high urinary gonadotropins, and short stature, 665*
—— oral, during menopause; and when complicated by arthralgia, 451†
—— *progesterone;* high dosage combined with estrogen, in treatment of amenorrhea and of abortion, 609
— in treatment of precocious puberty, 171*
— in treatment of uterine fibromyomata, 446
—— *stilbestrol,* effect on secondary sarcomatous deposits in the lungs, 226
— for engorgement and lactation in nonnursing mothers, 607
— in treatment of malignant exophthalmos by suppression of pituitary function, 102*
— in treatment of ovarian agenesis, 11*
— in treatment of virilizing ovarian tumor, 115*
EUNUCHOIDISM: *see also* Androgens; Hypogonadism; Sterility; Testis
—— associated with gynecomastia, 586*
—— failure to respond to chorionic gonadotropic hormone, due to antihormones, 130*
—— hypogonadotropic; urinary gonadotropins in, 1*
EUNUCHOIDISM (cont.)
—— "pan hypopituitary" eunuchoid; spermatogenesis in, as result of testosterone therapy by pellet implantation, 781*
—— prepuberal, with hyperthyroidism, 566*
—— treatment with combination of testosterone and pregnenolone, 227
—— treatment with sublingual methyltestosterone, 293*
ESTRONE: *see* Estrogens
EXOPHTHALMIC GOITER: *see* Thyroid, goiter
EXOPHTHALMOS: *see* Eyes; Thyroid, goiter
EXTON-ROSE sugar tolerance test: *see* Carbohydrate metabolism; Diabetes mellitus; Tests
EYES, cataracts following postoperative parathyroid insufficiency, 433*
—— changes in prominence, in various thyroid states, 306
—— conjunctival and corneal lesions in hypercalcemia, 464†, 644*
—— corneal epithelium of rat; effect of thiouracil on mitotic activity and wound healing, 468†
—— exophthalmos, following administration of the thyrotropic hormone of the pituitary gland, to guinea pig, 305
— intractable; surgery of, 379
—— hyperophthalmopathic syndrome (malignant exophthalmos), in thyroid disease; treatment, 102*
— urinary 17-ketosteroids, gonadotropins, and estrogens in, 102*
—— improvement in vision during treatment of polyostotic fibrous dysplasia with testosterone, 455†
—— intraocular transplants of endometrium, in study of menstrual cycle; influence of ovarian hormones on, in the monkey, 611*

FACE, stimulation of growth of mandible by oral use of crude adrenal cortex extract, 457†
FAMILIAL: *see also* under various endocrine glands
—— Addison's disease, 134*
—— adrenal cortex disorder, 543*, 604
—— eunuchoidism, 293*
—— goiter and cretinism in brothers, 77
—— Lawrence-Moon-Biedl syndrome, 780
—— pheochromocytoma, bilateral, 475*
FAT METABOLISM: *see also* Obesity
—— changes in, in guinea pig, produced by thyrotropic hormone of anterior pituitary, 305

FAT METABOLISM (cont.)
—— in pigeon; cyclic glycemias and lipemias associated with egg production, 661
—— lipoid distribution in adrenal cortex, a measure of functional activity, 463†
—— new hormone of adrenal cortex; relation to fat metabolism in liver, 461†
FERTILITY: *see* Ovary; Pregnancy; Sterility; Testis
FETUS, effect of diabetes complicating pregnancy upon, 471
—— effect of diabetic and prediabetic pregnancies on, 728
—— effect of thiouracil on derivatives on, 47*, 381, 469†, 767*
—— effect of thiouracil upon iodine content of thyroid gland of anencephalic monster, 767*
—— fetal mortality in women during prediabetic period, 727, 728
—— mortality in pregnant diabetics; effect of insulin on, 230
—— prenatal function of human parathyroid glands, 383
—— sex of; correlation of blood gonadotropins and vaginal smears of mother with, 450†
—— size and shape: relation to hydrostatic condition of uterus, 474
FIBROMYOMA: *see* Tumors: Uterus
FOLLICLE-STIMULATING HORMONE (F.S.H.): *see* Gonadotropins; Pituitary
FROG, SOUTH AFRICAN, use of, in diagnosis of hydatidiform mole by urinary gonadotropin assay, 289*

GASTRO-INTESTINAL TRACT, chronic peptic ulcer associated with diabetes, 779
—— duodenal ulcer, hypertrophy and hyperplasia of parathyroid glands associated with, 383
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mellitus
GLUCURONIDASE activity in serum during normal and toxemic pregnancy, 535*
—— effect of diethylstilbestrol on, in normal puerperium, 535*
—— in various body tissues, 535*
GLYCOSURIA: *see also* Carbohydrate metabolism; Diabetes mellitus
—— transitory; relation to melituria in healthy American men, 473
GOITER: *see* Thyroid
GOITER SOCIETY: *see* American Association for the Study of Goiter in: Association, news.
GONAD: *see also* Androgens; Estrogens; Menstruation; Ovary; Pregnancy; Steroids; Testis
GONAD (cont.)
—— atrophy in myotonia dystrophica, 503
—— function as indicated by 17-ketosteroid excretion in various conditions associated with mental retardation, 503*
—— gonadal stimulation following administration of antigonadotropic serum to rats, 447†
—— liver and gonadal changes following administration of carbon tetrachloride to male rats and female guinea pigs, 448†
—— ovotestis, effect of removal upon urinary gonadotropins and 17-ketosteroids, 455†
—— sex steroids; relationship to weight of adrenal glands of hamsters and rats, 463†
GONADOTROPINS: *see also* Pituitary; Pregnancy; Urine
—— basophilism and decrease in gonadotropin content of pituitary following administration of antigonadotropic serum to rats, 447†
—— chorionic, effect on pregnanediol excretion, 446†
— effect of spermatogenic activity in toad, 653*
— failure to respond to, in eunuchoidism, due to antihormones, 130*
—— distortion of spiral artery and hemorrhagicum cysts of ovary in rabbit, after administration of, 447†
—— equine pituitary; development of antihormones, 466†
—— gonadal stimulation following administration of antigonadotropic serum to rats, 447†
—— in blood; changes in, during pregnancy in correlation with the fetal sex, 450†
—— treatment of "pan-hypopituitary" eunuchoid with pregnant mare serum, 781*
IN URINE, absence of, in case of congenital defects, short stature and retarded sexual development, 807*
—— chemistry: comparison of ultrafiltration and alcohol-precipitation methods in normal subjects and in various endocrinopathies, 1*
—— chorionic: assay, using South African frog; in diagnosis of hydatidiform mole, 289*
— determination of, by hyperemia AZT: evaluation of hyperemia rat unit; in diagnosis of pregnancy, 159*

GONADOTROPINS (cont.)
IN URINE (cont.)
—— during progesterone therapy of uterine fibromyomata, 446†
—— effect of dienestrol therapy on, 688*
—— effect of removal of ovotestis on, 455†
—— high, in primary amenorrhea associated with short stature and sexual infantilism, 609
—— high titer in bilateral arrhenoblastoma without masculinization; large breasts, 456†
—— in a case of ovotestis, 741*
—— in azoospermia without impairment of Sertoli or Leydig cells of testes, 493*
—— in acromegaly, 636*
—— in azoospermatic testicular syndrome, 493*
—— in eunuchoidism, 130*, 781*
—— in feminizing tumor of testis, 438*
—— in gigantism, 1*
—— in hypogonadism, 466†
—— in male gynecomastia, 586*
—— in ovarian agenesis, 11*
—— in "pan-hypopituitary" eunuchoidism, 781*
—— in precocious puberty, 11*, 171*
—— in virilism, 11*
—— in virilizing ovarian tumor, 115*
—— increased in "rudimentary ovary" syndrome, 385*
—— increased in syndrome of congenitally aplastic ovaries with sexual infantilism, etc.; effect of estrogens upon, 665*
GONOCYTOMA: *see* Ovary, tumor; Testis, tumor
GRAVES' DISEASE: *see* Thyroid
GRID baby, for measurement of growth and development of infants, 780
GROWTH: *see also* Children; Dwarfism; Infants
—— effect of diet on, in adrenalectomized rats, 70
—— effect of liver feeding on, in hyperthyroid rat, 532
—— effect on basal metabolism, 382
—— in infant, measured by grid technique, 780
—— macrogenitosomia with extreme rapidity of growth, in congenital adrenal-cortical insufficiency, 604
—— of children with diabetes mellitus, in relationship to level of control of the disease, 727
—— tables for prediction of height of children, 473
GYNECOMASTIA: *see* Breast
GYNECOLOGY: *see also* Climacteric, Menstruation; Ovary; Pregnancy; Uterus; Vagina
—— contributions of endocrinology to, 607

HAIR: *see also* Eunuchoidism; Hermaphrodism; Hypogonadism; Virilism; and various endocrine gland disorders
—— absence of, in case of retarded sexual development, short stature, congenital defects and no urinary gonadotropins, 807*
—— absence of sexual hair in ovarian agenesis, 11*, 665*
—— alopecia totalis in case of virilizing ovarian tumor; effect of removal of tumor, 115*
—— auricular hairs; relation to race, endocrine stimulation and urinary steroids, 465†
—— axillary; amount of, as indicator of androgenic function of adrenal, 52*
—— hypotrichosis axillaris in thyrotoxicosis, telangiectasia of the skin, liver palms, and gynecomastia, 52*
—— sexual, in "rudimentary ovary" syndrome, 385*
HIRSUTISM, associated with arrhenoblastoma, 606, 607
—— associated with hyperostosis frontalis interna, etc., 624*
—— caused by testosterone propionate in woman treated for carcinoma of breast, 423*
—— decrease after removal of arrhenoblastoma, 606
—— excretion of glycogenic corticoids in, 79*
—— excretion of gonadotropin in, 1*
—— excretion of 17-ketosteroid in, 79*, 331*
—— excretion of 11-oxycorticosteroids, 331*
—— in a case of ovotestis, 741*
—— in Cushing's syndrome: regression: recurrence, with reappearance of virilism, 787*
—— in patient with aberrant adrenal cortex tissue, 385*
—— in precocious puberty, 11*
—— in virilism, 11*
—— in virilizing ovarian tumor; effect of removal of tumor, 115*
HEALING, wound healing and mitotic activity in corneal epithelium of rats treated with thiouracil, 468†
HEART, angina-pectoris; lack of effect of testosterone in, 74
—— cardiotropic activity of anterior pituitary in thyroidectomized rats, 303

HEART (cont.)
—— congestive failure; effect of 2-thiouracil in, 74
—— differential diagnosis of myxedema and heart disease, 468†
—— thyrocardiac disease; value of thyroidectomy in, 379
HEAT PRODUCTION: *see also* Temperature
—— in men, during extreme cold, 73
HEIGHT: *see* Dwarfism; Growth
HEMOCHROMATOSIS, without pigmentation or diabetes, 72
HERMAPHRODISM: *see also* Ovary; Testis
—— effect of removal of ovotestis on urinary gonadotropin and 17-ketosteroids in, 455†
—— frequency of inguinal hernia in, 741*
—— ovotestis; endocrine studies, 455†, 741*
—— pseudo; social and psychological readjustment under endocrine therapy, 456†
— urinary gonadotropins in, 1*
— with mental changes, effect of adrenalectomy upon, 533
—— sublingual methyltestosterone therapy, 293*
—— urinary steroids in, 543*
HERNIA, inguinal, in relation to hermaphroditism, 741*
HEXESTROL: *see* Estrogens
HIRSUTISM: *see* Hair
HISTAMINE in diagnosis of pheochromocytoma (Roth-Kvale test), 475*
HORMONE: *see also* Androgens; Estrogens; Gonadotropins; Steroids; and various endocrine glands
—— new hormone of adrenal cortex; relation to fat metabolism in liver, 461†
—— new testicular hormone, similar to estrogen, 493*
HYDATIDIFORM MOLE: *see also* Pregnancy
—— diagnosis, using South African frog for assay of chorionic gonadotropin, 289*
—— relation to eclampsia, 605
HYDROPONICS, used to produce iodine-free diet, 468†, 714*
HYPERCALCEMIA: *see* Blood; Calcium metabolism
HYPEREMIA rat unit of chorionic gonadotropin, evaluation of, 159*
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus
HYPEROPHTHALMOPATHIC syndrome in thyroid disease; treatment, 102*
HYPEROSTOSIS, cranialis interna in case of virilizing ovarian tumor, 115*
HYPEROSTOSIS (cont.)
—— frontalis interna syndrome, not a clinical entity, 624*
HYPERTENSION, associated with hyperostosis frontalis interna, etc., 624*
—— associated with menopausal exophthalmic goiter; effect of vitamin A, 574*
—— development of goiter and myxedema in patient treated for hypertension with potassium thiocyanate, 235*, 244
—— in toxemia of pregnancy; serum glucuronidase in, 535*
—— malignant, produced by medullary suprarenal chromaffinoma, 533
—— paroxysmal, associated with pheochromocytoma, 30*, 475*, 534, 716*
— produced by histamine, 475*
HYPERTHYROIDISM: *see* Thyroid
HYPERTRICHOSIS: *see* Hair, hirsutism
HYPOGLYCEMIA: *see* Blood; Carbohydrate metabolism; Diabetes mellitus
HYPOGONADISM: *see also* Eunuchoidism; Gonad; Ovary; Sterility; Testis
—— male; evaluation of urethral smear test for androgenic deficiency; effect of androgen therapy, 186*
—— sublingual methyltestosterone-therapy, 293*
HYPOTHALAMUS: *see also* Pituitary
—— lesions of hypophysis and hypothalamus, related to craniopharyngioma in children, 376
HYPOTHYROIDISM: *see* Thyroid

IMPLANTATION: *see* Pellet implantation
INFANTILISM: *see* Dwarfism; Ovary; Pituitary
INFANTS, effect of topical application of steroid hormones on developmental separation of prepuce from glans penis, 192*
—— growth and development: measured by grid technique, 780
—— hypofunction of adrenals; treatment with desoxycorticosterone acetate, 533
—— newborn, effect of diabetic and prediabetic pregnancies on, 727, 728
—— premature, treatment with methyltestosterone and testosterone propionate, 465†, 708*
INFECTIONS, disappearance of diabetes mellitus associated with acromegaly, following acute mastoiditis and basilar meningitis, 455†
—— effect on urinary cortin, 70, 70
—— infectious mononucleosis; arginase activity of red blood cells in, 326*
—— typhoid vaccine in assay of protective power of adrenal extracts and steroids, 69

INFERTILITY: *see* Sterility
INSULIN, crystalline; absorption of pellets and solutions, in rabbits, 233
—— in regulation of diabetes mellitus; analysis of 250 cases, 779
—— in treatment of diabetic children, 205*
—— in treatment of diabetic ketosis, 229
—— in treatment of pregnant diabetics; effect on infant and maternal mortality, 230, 230
—— tolerance tests in pituitary tumors, 466†
—— tolerance test, in "rudimentary ovary" syndrome, 385*
INULIN, renal plasma clearance of, in hyperthyroidism and myxedema, 801*
IODINE: *see also* Thyroid
—— and adrenalin; effect on action of thyrotropin in Graves' disease, 532
—— in blood, in eunuchoidism with hyperthyroidism, 566*
—— in blood, in obesity, 462†
—— in human fetal thyroid: effect of thiouracil therapy in mother, 47*, 469†, 767*
—— influence on action of vitamin A in hyperthyroidism, 574*
—— iodine-free diet grown by hydroponics and excluding goiter noxa, production of goiter on, 714*
—— iodine-lack theory and endemic goiter, 58*, 60*, 62*, 820*
—— severe iodism complicating thyrotoxicosis; cutaneous sensitivity tests, 212*
RADIOACTIVE, in study of metastatic thyroid carcinoma, 467†
—— in treatment of Graves' disease; 78, 378
—— in treatment of hyperthyroidism, 235*, 377
—— in fractionation studies of pathologic thyroid tissue, 380
—— radio iodine; its use as a tool in study of thyroid physiology; balance studies, 235*
— excretion in urine by patients with struma medicamentosa and with Graves' disease, 235*
— collection by thyroids of patients with Graves' disease, 235*
IRRADIATION, of pituitary, in Cushing's syndrome, effect on plasma protein pattern, 559*
—— irradiation of pituitary in hyperophthalmopathic syndrome in thyroid disease, 102*
—— radiation therapy in hyperthyroidism, 380
IRON; effect on anemia produced by hypophysectomy in rats, 376

JAUNDICE: *see* Liver

KETOSIS: *see* Diabetes mellitus
17-KETOSTEROIDS: See Androgens; Steroids; Urine; and under various endocrine glands
KIDNEY, hepato-renal factors in circulatory homeostasis; relation of adrenals to formation of renal vaso-excitor principle, 460†
—— impaired renal function in pituitary hypothyroidism, 74
—— necrosis of renal papillae; and acute pyelonephritis in diabetes mellitus, 471
—— renal insufficiency, renal calculi and renal calcinosis; effect of hypertonic saline solutions in, 753*
—— renotropic activity of anterior pituitary in thyroidectomized rats, 303
—— specific renal functions in hyperthyroidism and myxedema, 801*
KOBER REACTION: *see* Tests

LACTATION: *see* Breast; Estrogens, therapy
LAURENCE-MOON-BIEDL SYNDROME: *see* Syndrome
LAURENTIAN HORMONE CONFERENCE: *see* Association, news
LETTERS TO THE EDITOR: *see* Association, letters
LEUKEMIA: *see* Blood
LEUKOCYTES: *see* Blood
LEUKODERMA: *see* Pigmentation
LIPIDASE, in blood; effect of ligation of pancreatic ducts on, in cats, 231
LIVER, cholelithiasis in Addison's disease, 134*
—— cirrhosis of; estrone clearance in, 519*
—— cirrhosis; pathogenesis of, in patients with diffuse toxic goiter, 379
—— effect on growth and ovarian development in hyperthyroid rats, 532
—— "fat factor" of the adrenal in relation to fat reserves of the liver, 461†
—— gonadal and liver changes following administration of carbon tetachloride to male rats and female guinea pigs, 448†
—— hemochromatosis without pigmentation or diabetes, 72
—— hepatitis, infectious, in pregnancy: diagnosis of; estrone clearance in, 519*
—— hepato-renal factors in circulatory homeostasis, 460†

LIVER (cont.)
—— jaundice, during aminothiazole therapy in thyrotoxicosis, 812*
—— jaundice, fatal, resulting from thiouracil, 830*
—— "liver palms" in thyrotoxicosis; relation of hypotrichosis axillaris to, 52*
LUNGS; secondary sarcomatous deposits in; effect of stilbestrol on, 226

MACROGENITOSOMIA: *see* Adrenals, diseases; Puberty, precocious
MALE CLIMACTERIC: *see* Climacteric
MALNUTRITION: *see* Anorexia nervosa; Diet; Growth; Weight
MANDIBLE: stimulation of growth by oral use of crude adrenal cortex extract, 457†
MARIE-STRÜMPELL'S DISEASE: *see* Arthritis
MASTITIS: *see* Breast
MELANODERMA: *see* Pigmentation
MELITURIA in healthy American men, relation to transitory glycosuria, 473
MENOPAUSE: *see* Climacteric
MENSTRUATION: *see also* Estrogens; Ovary; Puberty, precocious; Uterus
AMENORRHEA, associated with Cushing's syndrome: spontaneous remission and normal menstruation; followed by amenorrhea with appearance of virilism, 787*
— caused by treatment with testosterone propionate for carcinoma of breast, 423*
— dienestrol therapy in, 688*
— due to uterine atrophy associated with hyperthyroidism, 303
— in case of retarded sexual development, short stature, congenital defects, no urinary gonadotropins, 807*
— in young women, treatment with dienestrol, a synthetic estrogen, 448†
— primary, associated with short stature, sexual infantilism and high gonadotropins, 609
— primary, in "rudimentary ovary" syndrome, 385*
— primary, in syndrome of congenitally aplastic ovaries, sexual infantilism, high urinary gonadotropins and short stature, 665*
— progesterone therapy, high dosage, combined with estrogen therapy, 609
— result of granulosa-cell tumor, 605
—— analysis of 257 cases of sterility, 610
—— corpus luteum function, 446†
MENSTRUATION (cont.)
AMENORRHEA (cont.)
—— *cycle;* alteration in, through administration of stilbestrol, 450†
— comparison of vaginal and cervical cornification in, 749*
— correlation of body temperature curves with endometrial biopsy, 451†
—— distribution of estrogens in urine during the menstrual cycle, 364*
—— dysmenorrhea; effect of stilbestrol on, 450†
—— effect of estrogen on luteal phase of menstruation, 450†
—— effect of hypothyroidism on, 467†
—— experimental; factor of previous treatment in, 449†, 611*
—— experimental; structure of endometrial vascular bed in menstrual cycle in monkey; influence of ovarian hormones on, 449†, 611*
—— in children, 171*
—— menorrheal problems in college women; treatment, 610
—— menstrual disorders associated with hyperostosis frontalis interna, etc., 624*
—— menstrual misbehaviors; psychic factors in, 659*
—— ovulation, delayed, in monkey, 609
—— ovulation time in the monkey, 384
—— plasma levels and urinary excretion of ascorbic acid during menstrual cycle, 607
—— pregnandiol precipitation test in various disorders of, 351*
—— pre-menstrual tension; vitamin A therapy, 574*
MENTAL development and disorders: *see* Brain; Congenital anomalies: Psychic factors; Psychosis
META-DINITROBENZENE REACTION, in determining chromogenicity of steroids, 454†
METHERGINE, induction of labor with, 606
METHODS: *see also* Tests
—— baby grid for measurement of growth and development of infants, 780
—— chemical assay of urine for adrenocortical hormones, in endocrine and non-endocrine diseases, 454†
—— comparison of ultrafiltration and alcohol-precipitation methods for determination of urinary gonadotropin, 1*
—— direct photoelectric, for determination of serum calcium, 73
—— for estimation of sodium in body fluids, 72

METHODS (cont.)
—— for studying vaginal and cervical cornification, 749*
—— rapid, for detection of hypoglycemia, 72
—— rapid, for determination of 17-ketosteroids in urine, 451†, 795*
—— simple quantitative colorimetric for estrogenic steroids, 701*
—— specific clearance, for renal functions, 801*
—— tables for predicting height from skeletal age and present height of children, 473
—— Tiselius electrophoretic technique used to determine plasma protein pattern pattern, 559*
METHYL TESTOSTERONE: *see* Androgens
METHYLTHIOURACIL: *see* Thiouracil
MISCARRIAGES: *see* Pregnancy
MITOTIC ACTIVITY and wound healing in corneal epithelium of rats treated with thiouracil, 468†
MONGOLISM, 17-ketosteroids in urine, 503*
MUSCLE in acromegaly, associated with amyotrophic lateral sclerosis and acromegaly of the amyotrophic type, 636*
—— myotonia dystrophica; marked decrease of 17-ketosteroids in urine and gonadal atrophy in, 503*
MYOTONIA DYSTROPHICA: *see* Muscle
MYXEDEMA: *see* Thyroid

NECK, webbed in syndrome of congenitally aplastic ovaries with sexual infantilism, short stature, etc., 665*, 807*
NEGRO, Addison's disease in, 69
NEOPLASMS: *see* Tumors
NERVOUS SYSTEM: *see also* Brain; Psychic factors
—— acromegaly associated with amyotrophic lateral sclerosis and acromegaly of the amyotrophic type, 636*
—— role of, in autotransplantation of thyroid, 75
NOTICES: *see* Association, announcements
NUTRITION: *see* Anorexia nervosa; Diet; Growth; Weight

OBESITY: *see also* various disorders such as Cushing's syndrome, etc.
—— associated with hyperostosis frontalis interna, etc., 624*
—— blood, iodine in, 462†
—— emotional factors in, 225
—— treatment of, 225, 462†
—— urine, steroids in, 462†
OBITUARY, Laqueur, Ernst, 603
OBSTETRICS AND GYNECOLOGY, contributions of endocrinology to, 607
OLIGOPHRENIA: *see* Brain
OLIGOSPERMIA: *see* Testis, spermatozoa
OVARY: *see also* Breast; Climacteric; Estrogens; Gonad; Gonadotropins; Hair; Hermaphrodism; Menstruation; Pregnancy; Puberty, precocious; Sex; Tumors; Uterus; Vagina
DISORDERS
—— agenesis: *see* Ovary, syndrome
—— amenorrhea: *see* Menstruation
—— analysis of 257 cases of sterility, 610
—— arrhenoblastoma: *see* Ovary, tumors
—— climacteric: *see* Climacteric
—— contributions of endocrinology to gynecology and obstetrics, 384, 607
—— endocrinopathies, three unusual; ovarian agenesis; precocious puberty, and virilism; ovarian pathology and urinary gonadotropins in, 11*
—— female surgical castrate; urinary excretion of estrogens in, compared with that of human male, 364*
—— hermaphrodism: *see* Hermaphrodism
—— hermaphroditism: a case of ovotestis, 741*
—— menopause: *see* Climacteric
—— menstrual disorders: *see* Menstruation
—— precocious puberty: *see also* Puberty, precocious
—— precocious puberty; constitutional type; effect of unilateral ovariectomy in, 171*
—— *syndrome*
—— ovarian agenesis, short stature, high urinary gonadotropins, 11*
—— congenitally aplastic ovaries with sexual infantilism, high urinary gonadotropins, short stature and other congenital abnormalities, 665*
—— primary amenorrhea, short stature, sexual infantilism, high gonadotropins, 609
—— retarded sexual development associated with congenital defects, short stature, no urinary gonadotropins, 807*
—— rudimentary ovaries with estrogenic insufficiency and increase in gonadotropins, 385*
—— *therapy: see* Estrogens
—— *urine in: see* Estrogens in urine; Urine

OVARY (cont.)
PHYSIOLOGY, atrophy following administration of carbon tetrachloride to female guinea pigs, 448†
—— corpus luteum function, studies, 446†
—— cyclic glycemias and lipemias associated with egg production in pigeon, 661
—— development, effect of liver feeding on, in hyperthyroid rat, 532
—— distortion of spiral artery and corpus hemorrhagicum cysts following administration of gonadotropins to rabbits, 447†
—— function; effect of vitamin A therapy on, 574*
—— marked ovarian and uterine stimulation following administration of antigonadotropic serum, in rat, 447†
—— menstruation: *see* Menstruation
—— normal human female urine; pituitary adrenocorticotrophic substance in; effect on ascorbic acid level in adrenal, 71
—— ovulation and conception; test for determining time of, 606
—— ovulation: correlated with viscosity of cervical mucus and body temperature, 610
— delayed, in monkey, 609
— time in the monkey, 384
—— pregnancy: *see also* Pregnancy
—— reaction of ovary to chorionic gonadotropin in new hyperemia AZ test, 159*
PREPARATIONS: *see* Estrogens, therapy
TUMORS
—— adrenal-like tumor of, 605
—— *arrhenoblastoma*, adrenal-like ovarian tumor, a variant of, 115*
—— arrhenoblastoma—androblastoma 228
— bilateral, without masculinization; large breasts: high urinary gonadotropins (adenoma testiculare of Pick), 456†
— excretion of hormones in, 115*
— excretion of 17-ketosteroids and pregnanediol in, 607
— results of treatment, 115*, 606, 606, 607
—— gonocytoma, 227
—— granulosa-cell tumor; pregnancy following removal, 605
—— granulosa-cell tumor in 55 year old woman, 605
—— homologous ovarian and testicular tumors, 227, 228
OVARY (cont.)
TUMORS (cont.)
—— review of literature, 226
—— virilizing tumors of, 115*

PANCREAS: *see also* Diabetes mellitus; Insulin
—— diagnosis of chronic pancreatic disease, non-specificity of serum amylase and lipidase in, in cats, 231
—— effect of ligation of ducts, on amylase and lipidase content of blood, in cats, 231
PANHYPOPITUITARISM: *see* Eunuchoidism; Pituitary
PARATHYROIDS: *see also* Calcium metabolism
HYPERPARATHYROIDISM
— aberrant adenoma of parathyroid; effect of removal, 152*
— associated with myxedema and psychosis, 152*
— calcium and phosphorus metabolism in, 152*
— conjunctival and corneal lesions in, 644*
— gastro-intestinal symptoms in, 152*
—— hypertrophy and hyperplasia of, associated with duodenal ulcer, 383
—— insufficiency, postoperative, followed by cataracts; symmetric cerebral calcification; treatment, 433*
—— prenatal function of, in human subject, 383
—— relationship of, to the action of estrogen on bone, 383
PELLET IMPLANTATION
—— desoxycorticosterone; in adrenalectomized rats; effect of diet on, 70
—— desoxycorticosterone acetate in treatment of Addison's disease, 134*
—— desoxycorticosterone acetate; in treatment of cortex insufficiency, 331*, 462†
—— insulin, zinc crystalline; absorption of, in rabbits, 233
—— progesterone; in therapy of fibromyomata of uterus, 446†
—— testosterone; in treatment of eunuchoidism, 781*
— in treatment of male hypogonadism, 293*, 781*
PENIS: *see also* incidental to disorders of Testis; effects of Androgens; Gonadotropins
—— glans, effect of topical application of steroid hormones upon developmental separation of prepuce from, in human infants and in squirrels, 192*

PHEOCHROMOCYTOMA, a case, 534
—— bilateral, familial, with paroxysmal hypertension; goiter associated with; successful surgical removal, 475*
—— medullary suprarenal chromaffinoma producing malignant hypertension, 533
—— of right adrenal gland with paroxysmal hypertension and concomitant swelling of the thyroid, 30*
—— tests in diagnosis of: cold pressor; histamine (Roth-Kvale); pyribenzamine and histamine; normal saline; calcium gluconate; nicotinic acid; epinephrine, 475*
—— with diabetes; 17-ketosteroid excretion in, 716*
PHOSPHATASE, acid and alkaline, in carcinoma of the breast, 423*
—— acid, in seminal fluid, in sterility, 604
PHOSPHORUS: *see also* Parathyroids
—— in serum, in carcinoma of the breast, 423*
—— metabolism, in hyperparathyroidism with myxedema, 152*
—— phospholipid phosphorus in blood in thyroid disease, 76
PIGEON, carbohydrate and fat metabolism in: cyclic glycemias and lipemias associated with egg production, 661
PIGMENTATION: *see also* Addison's disease
—— of skin: Addison's disease in Negro, 69
—— of skin, in polyostotic fibrous dysplasia, 307*
—— of skin, marked, in Addison's disease; occurrence of vitiligo or leukoderma during therapy, 134*
—— melanoderma, as a sequel of head trauma, 303
PITUITARY: *see also* Cushing's syndrome; Gonadotropins
DISORDERS
—— *acromegaly*
— amyotrophic type; treatment with testosterone propionate, 636*
— and amyotrophic lateral sclerosis, 636*
— and diabetes mellitus; disappearance of diabetes following acute mastoiditis and basilar meningitis, 455†
— and diabetes mellitus; plasma protein pattern in, 559*
— estrone clearance test in, 519*
— plasma protein pattern in, 559*
— treatment with thiouracil; development of goiter and myxedema, 235*
PITUITARY (cont.)
DISORDERS (cont.)
— urinary glycogenic corticoids in, 79*
— urinary gonadotropins in, 1*
— urinary 17-ketosteroids in, 79*
—— Cushing's syndrome: *see* Cushing's syndrome
—— *diabetes insipidus*
— compared with psychogenic polydipsia; use of hypertonic saline infusions in differential diagnosis of; effect of pitressin intravenously, 464†, 753*
— 17-ketosteroid excretion in, 753*
— treatment of, by intranasal use of posterior pituitary powder, 753*, 828*
— with postpartum pituitary necrosis, 75
—— *dwarfism*
— hypophyseal; comparison with "rudimentary ovary" syndrome, 385*, 665* (*see also* Pituitary, disorders, syndrome)
— pregnancy in; congenital abnormalities of fetus, 532
—— gigantism, urinary gonadotropins in, 1*
—— hypo-adrenal function of pituitary origin; plasma protein pattern in, 559*
—— *hypopituitarism*
— excretion of 11-oxycorticosteroids and 17-ketosteroids in, 331*
— hypopituitarism, hypo-adrenalism and diabetes mellitus (post-thyroidectomy), 376
— possible role of, in depression of renal function in myxedema, 801*
—— hypothyroidism, pituitary type, with impaired renal function, 74
—— irradiation of pituitary in treatment of hyperophthalmopathic syndrome in thyrotoxicosis, 102*
—— *panhypopituitarism*
— associated with enlargement of the sella turcica, 79*
— following hemorrhage at the time of labor, 79*
— in patient followed 22 years after removal of craniopharyngioma, 79*
— 17-ketosteroid and glycogenic corticoid excretion in, 79*
—— "Pan hypopituitary" eunuchoidism; spermatogenesis in, as a result of testosterone therapy, 781*
—— Simmonds' disease; effect of 11-DHCA on arginase activity of red blood cells in, 325*

PITUITARY (cont.)
DISORDERS (cont.)
—— syndrome of rudimentary ovaries, sexual infantilism, short stature, congenital defects
— increased urinary gonadotropins in, 11*, 385*, 609, 665*
— absence of urinary gonadotropin in, 807*
—— *tumors*
— adenomas, chromophobe, 466†
— craniopharyngiomas, 466†
— craniopharyngiomas in children; related lesions of hypophysis and hypothalamus; evaluation of treatment, 376
— parapituitary tumors, 466†
— studies on, 466†
FOLLICLE-STIMULATING HORMONE (F.S.H.); GONADOTROPINS: HORMONES: *see* Gonadotropins; and Pituitary, preparations
PATHOLOGY AND PHYSIOLOGY
— anemia induced by hypophysectomy in rats; effect of iron, copper, and thyroxine on, 376
— as mediator in reduction of urinary glycogenic corticoids produced by testosterone therapy, 729*
— changes in basophilic cells, following administration of antigonadotropic serum to rats, 447†
— changes in basophilic cells; in unusual case of Cushing's syndrome with spontaneous remission, followed by virilism, 787*
— diffuse fibrosis of, in Addison's disease, 134*
— function, in hyperophthalmopathic syndrome of thyrotoxicosis; suppression of, by administration of estrogens, 102*
— gonadotropin content of, following administration of antigonadotropic serum to rats, 447†
— inhibitory effect of dienestrol on, 688*
— necrosis of, acute postpartum, 531
— necrosis, postpartum, with diabetes insipidus, 75
— weight; effect of estrogen and thiouracil on, in rats, 531
PREPARATIONS
—— anterior, lyophilized suspension: adrenotropic, renotropic and cardiotropic activity of, in thyroidectomized rats, 303
—— *adrenocorticotropic hormone*
— changes in circulating leukocytes induced by, in normal subjects and in Addison's disease, 458†
— effect on rat's adrenal cortex and thymus; chemical and cytochemical studies, 457†
— in normal human female urine; effect on ascorbic acid level in adrenal, 71
— metabolism of electrolytes, nitrogenous principles, steroids, etc., following administration to human subjects, 458†, 459†
— urinary uric acid-creatinine ratio following administration of, 459†
—— *diabetogenic hormone*
— diabetes produced by pituitary extracts, 304
— diabetogenic extract; effect on growth and diabetes in normal animals, 75
—— follicle-stimulating hormone (F.S.H.): *see* Gonadotropins
—— *gonadotropic hormone: see also* Gonadotropins; Pregnancy; Tests
— anterior pituitary reaction in pregnancy; determined by hyperemia AZT, 159*
— anterior pituitary reaction in pregnancy; determined by influence upon spermatogenic activity of testis, in toad, 653*
— gonadal stimulation following administration of antigonadotropic serum to rats, 447†
— gonadotropin (equine); development of antihormones, 466†
—— lactogenic hormone; effect of estrogen and thiouracil on, in rats, 531
—— posterior pituitary extract; in treatment of prolonged labor, 532
—— *thyrotropic hormone*
— thyroid stimulating hormone in blood of rats treated with thiourea, 378
— effect of iodine and adrenalin on, in Graves' disease, 532
— effect on ability of thyroid to collect radioactive iodine, 235*
— effect on radio iodine uptake, in metastases of thyroid carcinoma, 467†
— inhibition of action by administration of thyroxine, in rats, 235*, 251
— production of exophthalmos and changes in fat metabolism in guinea pig, 305
PLASMA: *see* Blood

POLYDIPSIA, psychogenic, compared with diabetes insipidus; use of hypertonic saline infusions in differential diagnosis of, 464†, 753*

POLYOSTOTIC FIBROUS DYSPLASIA, a defense of the entity, 307*

—— testosterone therapy in; improvement of vision, 455†

POLYURIA: effect in hydrated subjects of infusion of hypertonic saline, in healthy young adults; in polyuria of both neurohypophyseal and psychogenic origin; in diabetes mellitus, with and without polyuria; and in renal insufficiency, calculi and calcinosis, 464†, 753*

POSTGRADUATE COURSE IN ENDOCRINOLOGY: *see* Association

PRECOCIOUS PUBERTY: *see* Puberty, precocious

PREGNANCY: *see also* Estrogens; Fetus; Gonadotropins; Menstruation; Ovary; Sterility; Tests; Uterus

—— *abortion;* pregnandiol precipitation test as aid in management of, 351*

— habitual; preconceptional progestin therapy for, 609

—— blood gonadotropins and vaginal smears in; correlation with sex of fetus, 450†

—— effect of thiouracil derivatives in, 47*

—— estrone clearance in, 519*

—— glucuronidase activity in tissues of endometrium, myometrium, placenta and ovary, 535*

—— *labor;* induction with methergine, 606

— prolonged; treatment with posterior pituitary extract, 532

—— uterus; relation of hydrostatic condition of, to size and shape of conceptus, 474

—— pregnanediol excretion, antepartum and postpartum, 608

—— pregnanediol excretion increased by diethylstilbestrol, 609

COMPLICATIONS AND SEQUELAE

—— and diabetes insipidus; postpartum pituitary necrosis, 75

—— *and diabetes mellitus;* effect of diabetic and prediabetic pregnancies on fetus and newborn infants, 727, 728

— maternal, obstetrical, chemical, fetal and placental abnormalities, 471

— treatment with insulin; effect on maternal and infant mortality, 230

—— *and hyperthyroidism;* congenital abnormality in fetus, 767*

PREGNANCY (cont.)

COMPLICATIONS AND SEQUELAE (cont.)

— treatment with thiouracil; effect on fetus and on fetal thyroid, 47*, 469†, 767*

—— and infectious hepatitis; estrone clearance in, 519*

—— Chiari-Frommel syndrome; historical review and case report, 608

—— *hemorrhage at time of labor:* followed by acute postpartum necrosis of pituitary, 75, 531

— followed by panhypopituitarism; excretion of glycogenic corticoids and 17-ketosteroids in, 79*

—— *hydatidiform mole;* relation to eclampsia, 605

— chorionic tumor; use of South African frog for diagnosis of, 289*

—— in pituitary dwarfism; congenital abnormalities of fetus, 532

—— late pregnancy accidents; prevention of, by diethylstilbestrol therapy, 609

—— necrosis of pituitary, acute, post partum, 75, 531

—— *toxemias of:* glucuronidase activity in serum during normal and toxemic pregnancy; effect of stilbestrol on, in normal puerperium, 535*

— thromboplastin; relation to toxemia of pregnancy; antothromboplastin, 473

DIAGNOSIS

—— comparison of color chemical test for pregnanediol, with Friedman test, 608

—— determination of time of conception, 606

—— estimation, colorimetric, of urinary pregnanediol, 457†

—— Guterman test, evaluation of, 608

—— Hogben test, evaluation of, 606

—— hyperemia AZ test, 159*

—— rapid pregnandiol precipitation test for diagnosis of, 351*

—— rapid test for, using male toad, 653*

ESTROGENS (PROGESTERONE) IN: *see* Estrogens

GONADOTROPINS IN: *see* Gonadotropins

URINE IN: *see* Estrogens; Gonadotropins: Pregnancy, diagnosis

PREGNANE DERIVATIVE, urinary, in precocious puberty, 171*

PREGNANEDIOL (pregnane-diols and -triols): *see also* Estrogens, in urine; Pregnancy, diagnosis

—— comparison of color chemical test for, with Friedman test, 608

PREGNANEDIOL (cont.)
—— *excretion;* antepartum and postpartum, 608
— in arrhenoblastoma, 607
— increased by diethylstilbestrol, 609
— in menstrual cycle and in study of corpus luteum function, 446†
— in precocious puberty, 171*
—— precipitation test for diagnosis of pregnancy, 351*
PREGNANELONE: *see* Estrogens
PREGNENOLONE: *see* Estrogens
PREMATURE INFANTS: *see* Infants
PREPUCE: developmental separation from glans penis by topical application of steroid hormones, in human infants and in squirrels, 192*
PROGESTERONE: *see* Estrogens, effects, therapy, etc.; Menstruation; Steroids; Uterus
PROGRAMS: *see* Association
PROMIZOLE: goitrogenic activity of, 378
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE: *see* incidental to disorders of Testis; effects of Androgens, and Gonadotropins
PROTEIN METABOLISM
—— influence of protein intake on excretion of 11-oxycorticosteroids, 331*
—— plasma protein pattern (determined by Tiselius electrophoretic technique) in various endocrinopathies; effect of treatment, 559*
—— catabolism of; role of adrenal cortex in, following trauma, 461†
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSYCHIC FACTORS: behavior and psychologic problems of young diabetic patients, 231
—— differential diagnosis of diabetes insipidus and psychogenic polydipsia; use of hypertonic saline infusions in, 753*
—— emotional factors in obesity, 225
—— estrogenic hormones, as psychic factor, in treatment of menopause, 228
—— psychiatric and endocrinological factors in the menopause, 226
—— psychoneurosis associated with hyperostosis frontalis interna, etc., 624*
—— relation to menstrual misbehaviors, 659*
—— social and psychological readjustment under endocrine therapy, in pseudohermaphrodism, 456†
PSYCHOSIS, manic-depressive, in hyperparathyroidism, following removal of parathyroid adenoma; relationship of alterations in calcium and phosphorus metabolism to, 152*
PUBERTY: *see also* Children; Growth; Menstruation; Ovary; Testis; Virilism
—— in girls with diabetes mellitus, in relationship to level of control of disease, 727
PRECOCIOUS
—— associated with polyostotic fibrous dysplasia, 307*
—— constitutional type; comparison with other types; sugar tolerance; excretion of gonadotropins and steroids; effect of progesterone and of unilateral ovariectomy in, 171*
—— differential diagnosis; ovarian pathology; excretion of gonadotropin and 17-ketosteroids; effect of removal of polycystic ovary, 11*
—— following administration of antigonadotropic serum, in rat, 447†
—— "macrogenitosomia"; congenital adrenocortical insufficiency associated with, 604
—— urinary steroids in, 543*

RADIOACTIVE IODINE: *see* Iodine
RADIO IODINE: *see* Iodine
REPRODUCTION: *see* Menstruation; Pregnancy; Ovary; Sterility; Testis
RESPIRATORY QUOTIENT: in diabetes mellitus following oral ingestion of glucose and fructose, with and without insulin, 472
ROENTGEN RAY THERAPY: *see* Irradiation
ROTH-KVALE (HISTAMINE) TEST in diagnosis of pheochromoctyoma, 475*
RUDIMENTARY OVARY SYNDROME: *see also* Ovary; Syndrome
—— anatomical, biological and clinical manifestations, 388*

SALIVARY GLANDS, swelling of, with salivation, during sublingual application of desoxycorticosterone acetate in treatment of Addison's disease, 134*
SARCOID, hypercalcemia and corneal lesions in, 644*
SCHERING award and research funds; *see* Association, news
SEMEN: *see* Testis, spermatozoa
SERUM: *see* Blood
SEX: *see also* Gonad; Hermaphrodism; Ovary; Testis
—— characteristics, secondary: (*see also* Breast; Hair)
— auricular hairs; relation to race, endocrine stimulation and urinary steroids, 465†
—— distribution in arthritis, 201*

SEX (cont.)
—— hormones: *see* Androgens; Estrogens; Steroids
—— of fetus; correlation of blood gonadotropins and vaginal smears of mother with, 450†
SIMMONDS' DISEASE: *see* Pituitary, disorders
SKIN, lupus erythematosis disseminatus; effect of testosterone on excretion of glycogenic corticoids and of 17-ketosteroids in, 729*
—— *pigmentation: see* Addison's disease: and Pigmentation
—— striae: *see* Cushing's syndrome
—— telangiectasis in thyrotoxicosis; relation of amount of axillary hair to, 52*
SLEEP, effect on excretion of 17-ketosteroids in urine, 264*
SMEAR: *see also* Menstruation; Ovary
—— urethral; evaluation of, as index of androgenic deficiency in the male, 186*
—— vaginal and cervical; in comparative study of cornification in human subjects in various stages of menstrual cycle, 749*
—— vaginal; in menopause; effect of estrogen therapy, 451†
—— vaginal; in pregnancy; correlation with sex of fetus, 450†
—— vaginal, in "rudimentary ovary" syndrome, 385*
—— vaginal, in study of clinical effects of dienestrol, 688*
SOCIAL and psychological readjustment under endocrine therapy in pseudohermaphrodism, 456†
—— and psychologic problems of young diabetic patients, 231
SODIUM: *see also* Addison's disease; and Chloride
—— method for estimation of, in body fluids, 72
SPERMATOZOA: *see* Testis
SQUIBB, E. R. AND SONS award: *see* Association, awards
SQUIRREL, effect of topical application of steroid hormones on separation of prepuce from glans penis; on prostate; and on seminal vesicles in, 192*
STERILITY: *see also* Eunuchoidism; Hypogonadism; Menstruation; Ovary, Pregnancy; Testis, spermatozoa
—— azoospermia without impairment of Sertoli or Leydig cells of testis; gonadotropic and 17-ketosteroid excretion in, 493*
—— in female; analysis of 257 cases, 610
—— oligospermia in male gynecomastia, 586*
STERILITY (cont.)
—— semen analysis in, 605
—— seminal fluid acid phosphatase in, 604
—— spermatogenesis in "pan-hypopituitary" eunuchoid, as a result of testosterone therapy, 781*
STEROIDS: *see also* Adrenals, steroids; Androgens; Estrogens; Urine
ANDROGENS: *see* Androgens
CORTICOSTEROIDS, CORTICOIDS: *see* Adrenals, steroids
ESTROGENS: *see* Estrogens
17-KETOSTEROIDS
—— *in urine*, decreased excretion caused by estrogen therapy in normale male, 186*
—— during progesterone therapy of uterine fibromyomata, 446†
—— effect of administration of adrenocorticotropic hormone of pituitary to human subjects, 458†, 459†
—— effect of chronic debility on, 264*
—— effect of dienestrol therapy on, 688*
—— effect of sleep on, 264*
—— effect of testosterone on, 729*
—— effect of trauma and disease on, 264*
—— in a case of ovotestis; effect of removal of ovotestis on, 455†, 741*
—— in acromegaly, 636*
—— in ankylosing spondylarthritis and in rheumatoid arthritis, 201*
—— in anorexia nervosa, 79*
—— in arrhenoblastoma, 607
—— in azoospermatic testicular syndrome, 493*
—— in burns, 331*
—— in cretinism, 503*
—— in Cushing's syndrome, 543*, 559*
—— in endocrine and other disorders, 79*
—— in eunuchoidism, 130*
—— in eunuchoidism with hyperthyroidism, 566*
—— in hermaphrodism, 543*
—— in hypogonadal male, 186*
—— in male gynecomastia, 586*
—— in mongolism, 503*
—— in myotonia dystrophica, 503*
—— in normal and abnormal subjects; effect of treatment on, 331*
—— in oligophrenia (defective mental development), 503*
—— in "pan-hypopituitary" eunuchoidism, 781*

STEROIDS (cont.)
17-KETOSTEROIDS (cont.)
—— in pheochromocytoma with diabetes, 716*
—— in precocious puberty, 11*, 171*, 543*
—— in syndrome of rudimentary ovaries, short stature, sexual infantilism, etc., 11*, 385*, 665*, 807*
—— in virilizing ovarian tumor; effect of removal of tumor, 115*
—— in virilism, 11*, 331*
—— level, correlated with histology of adrenal, 503*
—— methods for determination of, 451†, 453†, 795
11-OXYCORTICOSTEROIDS: *see* Adrenals, steroids
STEROIDS, and adrenal extracts; assay for protective action against toxins, 69
—— color reactions of, 364*, 452†, 453†, 454†, 457†, 701*
—— color reactions of: meta-dinitrobenzene and antimony-trichloride, 454†
—— effects of topical application of, on developmental separation of the prepuce from the glans penis, 192*
—— estrogenic; simple quantitative colorimetric method for estimation of, 701*
—— *in urine:*
— in adrenal virilism and in pseudohermaphrodism; effect of adrenalectomy on, 533
— in normal Caucasian men; relation to auricular hair, 465†
— in obesity, 462†
— photometric estimation of estrogens in, 364*
— relation to diagnosis of adrenal cortical tumors and adrenal cortical hyperplasia; quantitative and isolation studies, 543*
— utilization of liquid chromatogram technique in colorimetric estimation of pregnanediol, 457†
— various types of steroid hormones; measurement of, by concomitant application of Zimmermann and Kober reactions, 453†
—— sex, relationship to weight of adrenal glands in hamsters and rats, 463†
STILBESTROL: *see* Estrogens
STREPTOMYCIN in the treatment of thiouracil agranulocytosis, 219*
SUGAR: *see* Carbohydrate metabolism: Diabetes mellitus
SYNDROME, Chiari-Frommel; historical review and case report, 608
—— Cushing's: *see* Cushing's syndrome
—— hyperophthalmopathic, in thyroid disease, 102*
—— hyperostosis frontalis interna, not a clinical entity, 624*
—— Laurence-Moon-Biedl; description of two cases, familial, 780
—— rudimentary ovaries, short stature, sexual infantilism (*see* Ovary), 11*, 385*, 665*, 807*
—— testicular; produced by absence of germinal epithelium without impairment of Sertoli or Leydig cells; gonadotropic and 17-ketosteroid excretion in, 493*

TABLES, for predicting height of children, 473
TEMPERATURE body, correlation of, with endometrial biopsy, 451†
—— body; correlation of, with viscosity of cervical mucus and ovulation, 610
—— effect on speed of pregnancy test, 653*
—— effect on hydrolysis in determination of total urinary 17-ketosteroids, 795*
—— skin and rectal, in men, during extreme cold, 73
TESTIS: *see also* Androgens; Gonad; Gonadotropins; Hypogonadism; Sterility
—— absence of germinal epithelium without impairment of Sertoli or Leydig cells; urinary gonadotropic and 17-ketosteroid excretion in, 493*
—— effect of castration on blood regeneration in thyroidectomized rats, 306
—— hermaphrodism: (*see also* Hermaphrodism) a case of ovotestis, 741*
—— new testicular hormone; specific function of Sertoli cells established, 493*
—— undescended, bilateral, 566*
PREPARATIONS: *see* Androgens
SPERMATOZOA, acid phosphatase in seminal fluid in sterility, 604
—— azoospermia, without impairment of endocrine function, 493*
—— in sterility; semen analysis, 604, 605
—— oligospermia associated with gynecomastia, 586*
—— seminiferous tubule failure; urinary gonadotropins in, 1*
—— spermatogenesis; effect of pregnenolone and of testosterone on, 227
—— spermatogenesis in a "pan-hypopituitary" eunuchoid, as the result of testosterone therapy, 781*
—— spermatogenic activity in toad, as influenced by chorionic gonadotropin, 653*

TESTIS (cont.)
TUMORS, adenoma testiculare of Pick, without masculinization; large breasts; high urinary gonadotropins, 456†
—— androblastoma, 228
—— feminizing testicular tumor with atrophy of other testis, gynecomastia, increased excretion of estrogen and absence of gonadotropin in urine, effect of removal, 438*
—— homologous ovarian and testicular, 227, 228
—— gonocytoma, 227
TESTOSTERONE: *see* Androgens
TESTOSTERONE PROPIONATE: *see* Androgens
TESTS: *see also* Methods
—— antimony-trichloride, in color reactions of steroids, 454†
—— Aschheim-Zondek, new hyperemia AZT, 159* (*see also* Gonadotropins; Pregnancy, diagnosis; Tests, for pregnancy)
—— basal metabolism; method for assuring accuracy in, 304
—— color reactions of steroids, 364*, 452†, 453†, 454†, 457†, 701*
—— estrone clearance test for liver disease, 519*
—— for adrenal cortical function; urinary uric acid-creatinine ratio, following administration of ACTH, 459†
—— for estrogens; quantitative colorimetric, 364*, 452†, 701*
—— for hydatidiform mole; gonadotropic hormone assay in urine, using South African frog, 289*
—— *for pregnancy*
— colorimetric estimation of urinary pregnanediol, 457†
— comparison of color chemical test with Friedman modification of the Aschheim-Zondek test, 608
— for determining the time of ovulation and conception, 606
— Guterman, evaluation of, 608
— Hogben, evaluation of, 606
— hyperemia AZ test, 159*
— rapid pregnandiol precipitation test, 351*
— rapid, using male toad, 653*
—— *in diabetes mellitus*
— Exton-Rose (two-dose) sugar tolerance test, in diagnosis, 229
— fallacy of, 232
— for ketosis, 229, 230
— simple, for blood ketones in diabetic acidosis, 230
—— Kober reaction; modification of, for estimation of estrogenic steroids, 701*
TESTS (cont.)
—— Kober reaction, used concomitantly with Zimmermann reaction for estimation of steroid hormones in urine, 453†
—— meta-dinitrobenzene, in color reactions of steroids, 454†
—— Roth-Kvale (histamine) in diagnosis of pheochromocytoma, 475* (*see* Pheochromocytoma)
—— urethral smear test for androgenic deficiency, 186*
—— use of hypertonic saline infusions in differential diagnosis of diabetes insipidus and psychogenic polydipsia, 464†, 753*
—— Zimmermann and Kober reactions (*see* Tests, Kober)
TETANY: *see* Parathyroids
THIOCYANATE, potassium; effect on collection of radioactive iodine by thyroid, 235*
—— production of goiter and of myxedema by, 235*
THIOURACIL
EFFECTS
—— and estrogen; effect of, on lactogenic hormone and weight of pituitary, 531
—— derivatives of thiouracil:
— effect of transmammary administration of, in rat, 47*
— effect on fetuses and infants, 47*, 381
— thyroid hormone administered with; prevention of thyroid hyperplasia in rat, 47*
— transplacental transmission of, in rat, 47*
—— effect on collection of radioactive iodine by thyroid, 235*
—— effect on creatine metabolism in thyrotoxicosis, 381
—— effect on fetus, 47*, 381, 469†
—— effect on iodine content of human fetal thyroid, 767*
—— effect on mitotic activity and wound healing in corneal epithelium of rat, 468†
—— effect on radioiodine uptake in metastases of thyroid carcinoma, 467†
—— inhibitory effect on blood regeneration in rat, 306
—— production of goiter and of myxedema by, 235*
THERAPY
—— combined with radioiodine, in toxic goiter, 235*
—— in diabetes mellitus associated with hyperthyroidism, 234

THIOURACIL (cont.)
THERAPY (cont.)
—— in hypterthyroidism, 76, 77, 78, 102*, 219*, 234, 235*, 305, 377, 379, 380, 381, 566*, 767*, 812*, 830*
—— in hyperthyroidism complicating pregnancy, and its effect on the human fetal thyroid, 767*
—— in hyperthyroidism without goiter, 377
—— in leukemia, 225, 780
—— in thyrotoxicosis, following treatment with aminothiazole, 812*
—— methylthiouracil in treatment of hyperthyroidism in pregnancy; effect on thyroid gland of fetus, 47*
—— observations on the use of, in thyroid disease, 380
—— propylthiouracil in preoperative preparation of thyrotoxic patients, 212*
—— propylthiouracil in treatment of hyperthyroidism, 304, 377
—— 2-thiouracil, in treatment of congestive heart failure, 74
TOXICITY
—— agranulocytosis from, in treatment of hyperophthalmopathic syndrome in thyroid disease, 102*
—— agranulocytosis from; streptomycin therapy in, 219*
—— cause of perosis in chicks, 76
—— complications following administration of; prevention of agranulocytosis, 305
—— fatal agranulocytosis from, in treatment of thyrotoxicosis, 78
—— fatal jaundice from, 830*
—— granulopenia during treatment of hyperthyroidism associated with eunuchoidism, 566*
THIOUREA; thyroid stimulating hormone in blood of rats treated with, 378
THROMBOPLASTIN; active principle of placental toxin; antithromboplastin, 473
THYMUS, aberrant parathyroid tissue located in ,152*
—— effect of pituitary adrenocorticotropic hormone on, in rat, 457†
THYROID: *see also* Iodine; Thiouracil
DISORDERS
—— adenomas; clinical significance of functional behavior of, 380
—— adenomas; radio iodine fractionation studies of, 380
—— carcinoma, metastatic, studied with radioactive iodine, 467†
—— correlation between structure and function of benign and malignant tumors, studied by radioactive iodine, 235*
THYROID (cont.)
DISORDERS (cont.)
—— neoplasia; possible relation to hyperplasia, 77
—— thyrocardiac disease, value of thyroidectomy in, 379
GOITER, endemic goiter and iodine-lack theory; prophylaxis, 58*, 60*, 62*, 820*
—— induced by promizole, in animals; effect of graded doses of thyroxine on, 378
—— induced by therapy with potassium thiocyanate and with thiouracil; excretion of radio iodine in, 235*
—— in two brothers with sporadic cretinism, 77
—— on an iodine-free diet grown by hydroponics, and excluding goiter noxa, 714*
—— paroxysmal swelling of thyroid in pheochromocytoma, 475*
—— surgery of the thyroid gland, 379
—— *toxic* (exophthalmic goiter; Graves' disease) *see also* Thyroid, hyperthyroidism
— changes in prominence of eyes in various thyroid states, 306
— hyperophthalmopathic syndrome; treatment; urinary 17-ketosteroids, estrogens and gonadotropins in, 102*
— intractable exophthalmos, surgery of, 379
— pathogenesis of cirrhosis of liver in, 379
— radio iodine; excretion in urine and collection by thyroid, 235*
— some vulgar errors regarding diagnosis; plea for early surgery, 77
— therapy: (medical and surgical) *see* Hyperthyroidism under Thyroid; Iodine; Thiouracil
— thyrotropic hormone of pituitary; effect of iodine and adrenalin on, in Graves' disease, 532
HYPERTHYROIDISM
—— antagonism to, and treatment with vitamin A; effect on blood cholesterol, 574*
—— cholesterol, cholesterol esters and phospholipid phosphorus in blood, 76
—— creatine metabolism in, 381
—— metabolism of radio iodine in, 235*
—— specific gravity and protein content of blood plasma, 75
—— specific renal functions in, 801*
—— without goiter, 377

THYROID (cont.)
HYPERTHYROIDISM (cont.)
—— *complications and sequelae*, associated with diabetes mellitus, amenorrhea, and melanoderma; recurrence caused by head trauma, 303
— associated with diabetes mellitus in two combinations; effect of treatment with thiouracil, 234
— complicating pregnancy; treatment with thiouracil; effect on human fetal thyroid, 47*, 469†, 767*
— hypotrichosis axillaris in thyrotoxicosis; correlation with telangiectasis of skin, "liver palms," and gynecomastia, 52*
— in a prepuberal eunuchoid; thiouracil therapy, 566*
— iodism, severe, as a complication, 212*
— parathyroid insufficiency, following thyroidectomy, 433*
—— *therapy*, agranulocytosis from thiouracil therapy (*see* Thiouracil), 78, 102*, 219*, 305, 566*
— estrogenic therapy in, 380
— fatal agranulocytosis from thiouracil therapy, 78
— fatal jaundice from thiouracil therapy, 830*
— radiation therapy in, 380
— surgery of thyroid gland, 379
— with aminothiazole, 812*
— with iodine: *see* Iodine
— with radio iodine, 78, 235*, 377, 378, *see also* Iodine, radio
— with streptomycin; in agranulocytosis caused by thiouracil, 219*
— with thiouracil and derivatives, 76, 77, 78, 102*, 219*, 234, 235*, 305, 377, 379, 380, 381, 566*, 767*, 812*, 830* (*see* Thiouracil)
HYPOTHYROIDISM
—— cholesterol, cholesterol esters and phospholipid phosphorus in blood, 76
—— effect on creatine metabolism, 381
—— excretion of 11-oxycorticosteroids and of 17-ketosteroids in, 331*
—— pituitary type, with impaired renal function, 74
—— *cretinism*, and iodine-lack theory, 820*
— 17-ketosteroids in urine, 503*
— sporadic, in two brothers with goiter, 77
—— *myxedema*, and heart disease; differential diagnosis, 468†

THYROID (cont.)
HYPOTHYROIDISM (cont.)
— controlled by thyroid extract for 52 years, 76
— menstruation in, 467†
— produced by methylthiouracil, in rat: prevention of, by administering thyroid hormone, 47*
— produced by thiouracil and by potassium thiocyanate, 235*
— produced by 2-thiouracil, 74
— specific renal functions in, 801*
— urinary gonadotropins in, 1*
— with hyperparathyroidism; thyroid therapy in, 152*
—— *therapy: see* Thyroid, preparations
PHYSIOLOGY AND PATHOLOGY
—— and adrenal interrelations, 52*
—— carbohydrate appetite of hyperthyroid rats, determined by taste-threshold method, 467†
—— effect of liver feeding on growth and ovarian development in hyperthyroid rats, 532
—— effect of thiouracil therapy in mother on iodine content of fetal thyroid, 47*, 469†, 767*
—— effect of thiouracil therapy in mother rats and rabbits on thyroids of suckling offspring, 47*
—— inhibitors; effect of, on the metabolism of iodine and on formation of thyroxine, 235*
—— nerve supply; role in autotransplantation of, 75
—— physiology; use of radio iodine in the study of, 235*
—— thiouracil and potassium thiocyanate; effect on collection of radioactive iodine by thyroid gland, 235*
—— thyroid stimulating hormone in blood of rats treated with thiourea, 378
—— thyrotropic hormone of pituitary; effect on ability of thyroid to collect radioactive iodine, 235*
—— thyrotropic hormone of the pituitary, producing exophthalmos and changes in fat metabolism, in guinea pig, 305
PREPARATIONS
—— diiodotryosine; steps in synthesis of, as studied by transformation of radioactive iodine, 235*
—— effect of treatment with, in case of congenital defects, short stature, retarded sexual development, no urinary gonadotropins, 807*
—— effect on menstruation, 467†

THYROID (cont.)
PREPARATIONS (cont.)
—— thyroid extract; in control of myxedema in one patient for 52 years, 76
—— thyroid hormone, administered with methylthiouracil; prevention of thyroid hyperplasia in rat, 47*
—— thyroxine; and thyroid extract, in treatment of hyperophthalmopathic syndrome in thyroid disease, 102*
—— thyroxine; effect of graded doses on experimental goiter induced by promizole, 378
—— thyroxine; effect of, on response of hypophysectomized rat's thyroid to thyrotropic hormone, 251
—— thyroxine; synthesis of, as studied by transformation of radioactive iodine, 235*
—— thyroxine, with and without cobalt; stimulating effect on blood regeneration following thyroidectomy, in rat, 306
THYROTOXICOSIS: *see* Thyroid, goiter and hyperthyroidism
THYROXINE: *see* Thyroid, preparations
TIME sensitivity to chorionic gonadotropin in hyperemia AZ test, 159*
TISELIUS electrophoretic technique in determination of plasma protein pattern, 559*
TOAD, male, used for rapid pregnancy test, 653*
TOXIC ADENOMA: *see* Thyroid, hyperthyroidism
TOXIC GOITER: *see* Thyroid, goiter and hyperthyroidism
TOXINS, bacterial; protective power of adrenal preparations against, 460†
TRANSPLANTATION: intraocular transplants of endometrium, in study of menstrual cycle in monkey, 449†, 611*
TRAUMA: effect on urinary cortin, 70, 70
—— effect on urinary 17-ketosteroids, 264*
—— of head, causing reactivation of thyrotoxicosis with associated diabetes, amenorrhea and melanoderma, 303
—— subsequent protein catabolism; role of adrenal cortex in, 461†
TUBERCULOSIS: *see also* incidental to Addison's disease
—— lupus erythematosis disseminatus; effect of testosterone on excretion of glycogenic corticoids and of 17-ketosteroids in, 729*
TUMORS:
—— adenoma testiculare of Pick, *see* Ovary and Testis, tumors
TUMORS (cont.)
—— arrhenoblastoma, *see* Ovary, tumors
—— chromaffinoma, *see* Pheochromocytoma
—— chromophobe adenoma, *see* Pituitary
—— clinical significance of functional behavior of adenomas; radio iodine fractionation studies, 380
—— correlation between structure and function of benign and malignant tumors; radio iodine studies, 235*
—— craniopharyngioma, *see* Craniopharyngioma; and Pituitary
—— endothelioma, treatment, *see* Estrogen, therapy
—— feminizing, of testis, *see* Testis, tumors
—— fibromyomata, *see* Uterus
—— gonocytoma, *see* Ovary and Testis, tumors
—— granulosa-cell, *see* Ovary, tumors
—— homologous ovarian and testicular, *see* Ovary and Testis, tumors
—— hydatidiform mole, *see* Hydatidiform mole; and incidental to Pregnancy, tests
—— neoplasia; possible relation to hyperplasia, 77
—— of adrenal cortex, *see* Adrenals, tumors
—— of adrenal medulla, *see* Pheochromocytoma
—— of breast, *see* Breast
—— of Ovary, *see* Ovary, tumors
—— of parathyroids, *see* Parathyroids
—— of pituitary, *see* Pituitary, tumors
—— of testis, *see* Testis, tumors
—— of thyroid, *see* Thyroid
—— mammary, *see* Breast
—— pheochromocytoma, *see* Pheochromocytoma
—— therapy, *see* Androgens; Estrogens; Iodine, radioactive
—— virilizing, *see* Ovary, tumors
TWINS, in observations on the effect of testosterone in premature infants, 708*
TYPHOID VACCINE, in assay of protective power of adrenal extracts and steroids, 69

ULCER, duodenal, peptic; *see* Gastrointestinal tract
UNIT; hyperemia rat unit of chorionic gonadotropin, evaluation of, 159*
URETHRA: urethral smear; evaluation of, as index of androgenic deficiency in the male, 186*
URINE: *see also* under various endocrine disorders (urine in); Androgens; Estrogens; Gonadotropins; Methods; Steroids; Tests

URINE (cont.)
—— adrenal corticosteroids in, *see* Adrenals, steroids
—— androgens in, *see* Androgens
—— calcium excretion in myxedema with hyperparathyroidism, 152*
—— chemistry: methods, *see* Methods; Tests
—— chloride excretion during glycosuria, in diabetes, 231
—— chorionic gonadotropin in, *see* Gonadotropins; Pregnancy, diagnosis; Tests
—— corticosteroids (corticoids, cortin, etc.) in, *see* Adrenals, steroids
—— estrogens in, *see* Estrogens
—— estrone clearance, *see* Estrogens
—— *flow:* effect in hydrated subjects, of infusion of hypertonic saline in:
— diabetes mellitus, with and without polyuria, 753*
— healthy young adults, 753*
— polyuria of neurohypophyseal and of psychogenic origin, 753*
— renal calcinosis, calculi, and insufficiency, 753*
—— excretion of electrolytes, nitrogenous principles, steroids, etc. following administration of adrenocorticotropic hormone of pituitary to human subjects, 458†, 459†
—— glycogenic corticoids in, *see* Adrenals, steroids
—— gonadotropins in, *see also* Gonadotropins
— in syndrome of rudimentary ovaries, short stature, sexual infantilism, etc.
— absent, 807*
— increased, 11*, 385*, 609, 665*
—— 17-ketosteroids in, *see* Steroids
—— melituria in healthy American men with reference to transitory glycosuria, 473
—— methods of quantitative analysis, *see* Methods; Tests
—— 11-oxycorticosteroids in, *see* Adrenals, steroids
—— pituitary hormones in, other than gonadotropins (e.g., adrenocorticotropic substance), *see* Pituitary, preparations
—— pregnancy tests, *see* Pregnancy, diagnosis; Tests
—— pregnanediol in, *see* Estrogens; Pregnancy
—— radioactive iodine in, *see* Iodine, radioactive
—— steroids in, *see* Adrenals; Androgens; Estrogens; Steroids
URINE (cont.)
—— tests for various constituents of, *see* Methods; Tests
—— uric acid-creatinine ratio, following administration of ACTH, as simple test for adrenal cortex function, 459†
UTERUS: *see also* Estrogens; Menstruation; Pregnancy; Ovary
—— abortion, habitual; preconceptional progestin therapy for, 609
—— abortion; pregnandiol precipitation test as aid in management of, 351*
—— cervical mucus; cyclic changes in viscosity and amount; correlation with body temperature and ovulation, 610
—— comparison of cervical and vaginal cornification in human subjects in various stages of menstrual cycle, 749*
—— *endometrial biopsy,*
— correlation of basal body temperature curves with, 451†
— demonstrating effect of stilbestrol on human ovarian cycle, 450†
— in study of effect of orally administered estrogen, in the menopause, 451†
— pregnanediol excretion correlated with; effect of chorionic gonadotropic on, 446†
—— endometrium: architecture of endometrial vascular bed in the monkey; influence of ovarian hormones on, 449†, 611*
—— endometrium: intraocular transplants in study of structure of vascular bed in menstrual cycle in the monkey; effect of previous treatment on, 449†, 611*
—— fibromyomata; progesterone therapy of, by intramuscular pellet implantation, 446†
—— glucuronidase activity in tissues of endometrium, myometrium, placenta and ovary, 535*
—— hydatidiform mole; relation to eclampsia, 605
—— hydatidiform mole; diagnosis, using South African frog for assay of chorionic gonadotropin, 289*
—— marked ovarian and uterine stimulation following administration of antigonadotropic serum, in rat, 447†
—— labor; induction with methergine, 606
—— labor, prolonged; pituitary extract therapy, 532
—— relation of hydrostatic condition of, to size and shape of conceptus, 474

VAGINA: *see also* Estrogens; Menstruation; Ovary; Uterus

VAGINA (cont.)
—— atrophic vaginitis; dienestrol therapy, 688*
—— comparison of vaginal and cervical cornification in human subjects in various stages of menstrual cycle, 749*
—— mucosa; effect of estrogenic therapy on hydrogen ion concentration of, 226
—— smear; in clinical evaluation of dienestrol therapy, 688*
—— smear; in menopause; effect of estrogen therapy, 451†
—— smear; in pregnancy; correlation with sex of fetus, 450†
—— smear; in "rudimentary ovary" syndrome, 385*
VAN METER PRIZE AWARD of American Association for the Study of Goiter, *see* Association, news
VASCULAR SYSTEM: *see also* Hypertension
—— abnormalities of, in syndrome of congenitally aplastic ovaries, sexual infantilism, short stature, etc., 665*
—— artery, spiral, of ovary; effect of gonadotropins on, in rabbits, 447†
—— endometrial, in monkey; study of, 449†
—— hepato-renal factors in circulatory homeostasis; relation of adrenals to formation of a renal vaso-excitor principle, 460†
—— renal blood flow, vascular resistance, etc. in hyperthyroidism and in myxedema, 801*
VIRILISM: *see also* Adrenals; Cushing's syndrome; Hermaphrodism; Ovary; Puberty, precocious
—— adrenal, associated with mental disorder; effect of adrenalectomy in, 533
—— associated with adrenal-like ovarian tumor; 17-ketosteroids in urine; results of treatment, 115*
—— associated with ovarian hypertheco-sis; 17-ketosteroids and gonadotropins in urine; glucose tolerance; effect of ovarian wedge resection, 11*
—— following Cushing's syndrome; endocrine disorders associated with; unusual case, 787*
—— in a case of arrhenoblastoma; effect of removal of tumor, 606
—— produced by testosterone propionate in woman treated for carcinoma of breast, 423*
—— urinary 11-oxycorticosteroids and 17-ketosteroids in, 331*
—— urinary steroids in, 543*, *see also* Steroids
VITAMINS, ascorbic acid in plasma and urine during menstrual cycle, 607
—— ascorbic acid level in adrenal; effect of adrenocorticotropic substance in female human urine on, 71
—— vitamin A; antagonism to thyroid; use of massive doses in treatment of hyperthyroidism, and of pre-menstrual tension, 574*
—— vitamin A, in relation to carotene metabolism in the diabetic, 232
—— vitamin C in the treatment of Addison's disease, 134*
—— vitamin D poisoning; hypercalcemia; conjunctival and corneal lesions in, 464†, 644*
VITILIGO: *see* Pigmentation

WATER METABOLISM: *see also* Pituitary, *diabetes insipidus*
—— edema during estrogen therapy for dysmenorrhea, 450†
—— hypertonic saline infusions in hydrated subjects, in the differential diagnosis of diabetes insipidus and psychogenic polydipsia, 464†, 753*
WEIGHT: *see also* under effects of various endocrine disorders and preparations; Anorexia nervosa; Diet; Growth
—— effect of diabetogenic extract of pituitary on, in normal animals, 75
—— effect of testosterone propionate therapy on, in carcinoma of the breast, 423*
—— increase during estrogen therapy for dysmenorrhea, due to edema, 450†
—— in premature infants; effect of testosterone compounds on, 465†, 708*
—— loss of, in men in internment camp, 71

XENOPUS LAEVIS (South African frog); use of, in diagnosis of hydatidiform mole, 289*
X-RAY THERAPY: *see* Irradiation

ZIMMERMANN REACTION: *see* Tests